

The MIGHTY LITE BT MKII provides a variety of effects for electric guitar and bass guitar including **amp modeling and cabinet IRs**. It also comes with acoustic amp modeling and acoustic IRs to let you simulate acoustic guitar tones. And, you can even load 3rd party IRs through Mighty Editor<sup>™</sup> edit software to expand your tone.

The MIGHTY LITE BT MKII is a portable mini amplifier. You can use with the 9V power adapter at home or you can take the amplifier to anywhere you want. It also runs with **6 x AA size battery**.











### FRENEXPORT



## **HIGHLIGHTS**



# TONES OF FEATURES IN SUCH A COMPACT SIZE

USB Audio Interface, Phones Out / AUX In, Drum Machine, Bluetooth® Speaker, 7 Presets fully loaded with Amps, IRs, and EFX... and even more!

## PLAY WHENEVER AND WHEREVER

You can use with the 9V power adapter at home or you can carry the amplifier anywhere you want running it with 6 x AA size battery.



### FRENEXPORT



Preset					O  O  Potch Level  as-  -
Proset				÷ ••• ••• •••	0 Potch Level
_					
Proset	Y LITE B		••••••••••••••••••••••••••••••••••••••		O  Potch Level  0

# MIGHTY AMP APP & MIGHTY EDITOR SOFTWARE

The MightyAmp<sup>™</sup> APP and Mighty Editor<sup>™</sup> edit software let's you tweak all the signal blocks and parameters. The MIGHTY LITE BT MKII includes GATE, EFX, AMP, IR, MOD, DLY and RVB signal blocks. Along with the included 34 built-in IRs, here are 20 empty slots, for 3rd party IRs loading. No need to worry about the sampling rate, Mighty Editor<sup>™</sup> edit software can convert the WAV(IR) format automatically.

## A RECORDING INTERFACE

The MIGHTY LITE BT MKII supports USB-C audio stream, which means that it can be an USB recording interface. It supports Normal / Dry Out / Re-amp / Loopback routing, you can adjust it through the MightyAmp<sup>™</sup> APP or Mighty Editor<sup>™</sup> edit software, no need to setup USB OUT in DAW. Even live stream jamming with Loopback!



### FRENEXPORT



## **PRODUCT DETAILS**

### **KEY FEATURES**

3 watts desktop Modeling Amplifier

TSAC-HD (White-Box) Amp Modeling algorithm offers realistic playability & feedback

512 samples IR resolution. (34 premium built-in IRs and 20 user slots for 3rd party)

7 presets with ACTIVE functions. (PRESET switch toggles ACTIVE ones sequentially)

7 effect blocks: GATE, EFX, AMP, IR, MOD, DLY, RVB

Patch Level function for each preset

Drum machine

Intuitive MightyAmp<sup>™</sup> APP & Mighty Editor<sup>™</sup> edit software

USB-C: Mighty Editor<sup>™</sup> edit software communication, USB audio stream, and Firmware update.

### **SPECIFICATIONS**

Sampling Rate	48KHz/32-bit
System Latency	1.42ms
Speaker	3", 4?, 5W
Dimensions	166 (L)X98 (W)X124 (H)mm
Weight	720g

#### FRENEXPORT