

VERBA-202 A2

UHF TRUE DIVERSITY WIRELESS SYSTEM WITH AUTOSCAN – 2 BODYPACK A2 (628-668 MHZ)

The VERBA Series UHF True Diversity Wireless System with Autoscan is a game-changing solution for anyone needing reliable, high-quality wireless audio. Perfect for live performers, sound engineers, and event organizers, it offers crystal-clear sound and flawless performance, even in crowded signal environments.

With its UHF True Diversity receiving circuitry, the system monitors two antennas for stable, uninterrupted audio. Plus, the PLL (Phase-Locked Loop) frequency synthesis ensures consistent, interference-free performance. Offering an operating range between 40 and 60m (depending on interferences and obstacles), Autoscan or manual frequency scanning options, and a quick IR pairing procedure, it's designed for easy setup and use. Its vibrant 2.5" TFT display on the receiver and 1" displays on each transmitter provide real-time feedback, while a 7-band adjustable EQ processor lets you fine-tune your sound. Customizable display colors and a 19" rack-mount receiver add a personal touch and professionalism to any setup.

Whether you're performing live or broadcasting, this system delivers reliable, clear audio with ease and precision.

**19"
Rack**

VERBA-202 A2

UHF TRUE DIVERSITY WIRELESS SYSTEM WITH AUTOSCAN – 2 BODYPACK A2 (628-668 MHZ)

PRODUCT DETAILS

KEY FEATURES

UHF True Diversity Receiving Circuitry

PLL phase-locked frequency synthesis

Stable Performance with 40-60m Operating Distance

Integrated Antenna Distribution System

Automatic or Manual Frequency Scan

Quick IR Pairing Procedure

2-Channel and 4-Channel Systems available

626-668MHz (A2) Band Operation (A1)

Transmission bandwidth: < 100kHz

Main 2.5" TFT Color Display

1" TFT Color Display for each transmitter

7- band adjustable EQ processor

Adjustable background color for each Tx and Rx Channels

19" Rack-mount Receiver

Bodypack with rugged and stylish case

Mini-XLR with adjustable gain

Headmic with cardioid condenser capsule

Lavalier microphone with cardioid condenser cartridge

Transmission Power: 10mW

VERBA-202 A2

UHF TRUE DIVERSITY WIRELESS SYSTEM WITH AUTOSCAN – 2 BODYPACK A2 (628-668 MHZ)

VERBA-202 A2

UHF TRUE DIVERSITY WIRELESS SYSTEM WITH AUTOSCAN – 2 BODYPACK A2 (628-668 MHz)

SPECIFICATIONS

Receiving Channels	2CH
Carrier Frequency	626-668MHz (A2)
Oscillation	PLL phase-locked frequency synthesis
Frequency Sensitivity	Input 6dBμV, S/N>80dB
Operating Distance	40-60 meters (depending on interferences and obstacles)
Sound Processing	7-band adjustable EQ
T.H.D. (Total Harmonic Distortion)	<0.5% @1kHz
Transmission Bandwidth	< 100kHz
Receiver Display	TFT Color Display
Receiver Power Supply	DC 12-18V - 1000mA
Receiver Dimensions (W/Max WxDxH/Max H)	410/483 (with rack adapters) x 207 x 50/250 (with antennas) mm (16.14/19.01 x 8.15 x 1.97/9.84" in.)
Packing Dimensions (WxDxH)	530 x 387 x 70 mm (20.87 x 15.24 x 2.75" in.)
Packing Gross Weight	3.4 kg (7.49 lbs.)
Bodypack Pickup Gain	Adjustable Gain
Bodypack Transmission Power	13dB
Bodypack Current Drain	Standard <130mA
Bodypack Display	LCD
Bodypack Cartridge (Headset and Lavalier)	Condenser Cardioid
Bodypack Batteries	2x 1.5V AA-Type
Bodypack Dimensions (WxDxH)	65 x 24 x 84 mm (2.55 x 0.94 x 3.30" in.)
Bodypack Size with Antenna (Max H)	206 mm (8.11" in.)
Bodypack Net Weight	0.112 kg with batteries (0.25 lbs.)