

GH4A

# ULTRA-COMPACT 4' FULL RANGE ACTIVE SATELLITE SPEAKER (BLACK)

The GH4A is a compact active satellite speaker designed for professional applications requiring clear and directional sound, even in acoustically challenging spaces. It features a 60W Class D amplifier, allowing it to power an additional KGEAR passive speaker or subwoofer, reducing external components.

Its 4" full-range driver with dual-coil neodymium magnet ensures accurate and powerful audio. The optimized enclosure minimizes rear emission, increasing system efficiency. Stainless steel build with IP64 rating (with G-IPCAP1) makes it suitable for indoor and outdoor use.

Equipped with Phoenix connectors, DC 24V input, audio output, mute contact, and auto ON/OFF function. Wall-mountable via GF-WALL bracket, and usable alone or in array configurations.



GH4A

# ULTRA-COMPACT 4' FULL RANGE ACTIVE SATELLITE SPEAKER (BLACK)

---

## HIGHLIGHTS

---




### BUILT-IN AMPLIFICATION

The integrated amplifier allows you to drive a second speaker or passive subwoofer. This greatly simplifies installation, reduces the number of components required and makes it perfect for compact, elegant and highly efficient solutions.

### WEATHER-RESISTANT CONSTRUCTION

The GH4A rugged durability is due in part to its weather-resistant construction: the compact stainless steel cabinets is built to withstand the rigors of touring and permanent installation, providing added peace of mind.



GH4A

# ULTRA-COMPACT 4' FULL RANGE ACTIVE SATELLITE SPEAKER (BLACK)

## PRODUCT DETAILS

### KEY FEATURES

Wall Mount Included: The GF-WALL swivel mount is included for easy and precise installation.

Compact design, high performance: 4" full-range driver with dual-frequency neodymium magnet

Reduced Rear Emission: the optimised cabinet design reduces rear dispersion, improving sound directionality and reducing unwanted reflections.

Wall Mount Included: The GF-WALL swivel mount is included for easy and precise installation.

### SPECIFICATIONS

<b>Type</b>	Active loudspeaker
<b>Transducers</b>	4" neodymium magnet full-range driver
<b>Frequency Response</b>	150 Hz - 20 kHz (-6dB)
<b>Max SPL</b>	116 dB
<b>Rated Power</b>	140 W
<b>Coverage</b>	V. 90°   H. 90°
<b>Connectors</b>	2x Phoenix connector (4-pin euroblock), Balanced Line in, Mute contact Power out, 24V DC IN (power supply not included)
<b>Mains Connector</b>	4PIN Euroblock, 2x Phoenix 1,5/ 4-ST-3,81 compatible
<b>Nominal Impedance</b>	4 ?
<b>Amp Module</b>	1-channel Class-D audio amplifier
<b>Output Power</b>	100W @ 2? (24V power)

GH4A

# ULTRA-COMPACT 4' FULL RANGE ACTIVE SATELLITE SPEAKER (BLACK)

<b>Power Consumption</b>	30W Rated Load 1/8 Max Power
<b>Protections</b>	Thermal Protections (Power limiting - Thermal Shutdown), Short-circuit/overload output protections
<b>Operating Range</b>	12-24 V DC
<b>Dimensions (W x H x D)</b>	112x112x94 mm (4.41x4.41x3.70 in)
<b>Weight</b>	1,2 kg (2,65 lb)
<b>Material</b>	Stainless steel
<b>Colors</b>	Black
<b>IP Rating</b>	IP64 (G-IPCAP1 accessory required)