TK 3810

TOP LOADING TOWER 3.2-3.8M HEIGHT.100 KG BLACK DIN

The telescopic lifting tower T 101 model is a tower designed to lift vertical loads while keeping its compact size, which allows an easy transportation. It is composed of three extensible steel profiles, lifted by a high-strength steel cable with grooved pulleys with SELOIL bearings. Automatic locking system comprised of self locking steel pins that fixes the tower to the deisred height. Legs with non-slip rubber feet. The entire system is operated with a manual winch.

TK 3810


b171ca87-7bae-454b-8ea0-06001d626e6c.jpg


78036071-1e0f-4a40-a386-b95f29f1d260.jpg


db88a9b3-d080-40d9-97c4-1f2b44

Via Enzo Ferrari 10
62017 Porto Recanati (MC), Italy
info@frenexport.it

TK 3810

TOP LOADING TOWER 3.2-3.8M HEIGHT.100 KG BLACK DIN

PRODUCT DETAILS

KEY FEATURES

- Maximum Load 100kg/220.46lb
- Folded Height 1.4m/4.59ft
- Maximum Height 3.8m/12.47ft

SPECIFICATIONS

Material	Steel
Folded Height	1,4 m
Extended base dimensions	1,6 x 1,6 m
Folded base dimensions	0.23 x 0.28 m
Maximum height	3,8 m
Minimun height	1,4 m
No. of sections	3
Minimum Load	25 Kg
Max load (mechanism mode)	100 Kg
Winch	350 Kg
Cable diameter	4 mm
Noise Emission	70 dB
Compatible accessories	ATCMOS / ATCMOB / ATCLTS / ATC6FS / ATC29S / ATCBAS
Security systems	Self locking safety pins

Via Enzo Ferrari 10
62017 Porto Recanati (MC), Italy
info@frenexport.it

TK 3810

TOP LOADING TOWER 3.2-3.8M HEIGHT.100 KG BLACK DIN

Standards and Certifications	CE, DGUV, BGV C1, BGG 912	
Weight	24 kg	
Unfolded base diameter		1,61 m

Via Enzo Ferrari 10
62017 Porto Recanati (MC), Italy
info@frenexport.it