GC8S-SQW

8" PASSIVE CEILING/WALL-MOUNTED SUBWOOFER (SQUARE GRILLE, WHITE)

GC8S-SQW


The GC8S is a passive in-wall subwoofer designed to enhance low-frequency performance in both residential and commercial environments. Featuring an 8" woofer, it delivers deep and controlled bass while maintaining a discreet and compact form factor.

An integrated passive low-pass filter allows the GC8S to be connected on the same line as GC or GF satellite speakers, without the need for DSP or a dedicated amplifier channel. This simplifies system setup and reduces installation complexity.

Its open-back design makes it ideal for mounting in drywall, wood, or similar surfaces, easily adapting to complex spaces such as home theaters, hotels, wellness centers, retail stores, or public venues.

The frameless magnetic grille, available in round (GC8S-RD) or square (GC8S-SQ) shape and in white or black finish, is paintable to blend seamlessly into any architectural style.

Fully compatible with all KGEAR amplifiers, including GA201, GA41/41L, GA43/43L, and GA46/46L, the GC8S offers a coherent and complete solution for high-performance flush-mount audio systems.


e2f05cef-cb5f-4eb7-8906-da3073ab4c5c.png


Low Impedance Frameless

Via Enzo Ferrari 10
62017 Porto Recanati (MC), Italy
info@frenexport.it

GC8S-SQW

8" PASSIVE CEILING/WALL-MOUNTED SUBWOOFER (SQUARE GRILLE, WHITE)

HIGHLIGHTS



FRAMELESS DESIGN FOR SEAMLESS ARCHITECTURAL INTEGRATION

The grille with no visible frame allows the GC8S to virtually disappear after installation, delivering a clean, minimalist aesthetic—ideal for refined interiors or design-sensitive environments.

Via Enzo Ferrari 10
62017 Porto Recanati (MC), Italy
info@frenexport.it

GC8S-SQW

8" PASSIVE CEILING/WALL-MOUNTED SUBWOOFER (SQUARE GRILLE, WHITE)

PRODUCT DETAILS

KEY FEATURES

Discreet recessed installation: designed for walls and ceilings, it integrates perfectly into residential and commercial environments without impacting on aesthetics.

8’ woofer with powerful and controlled bass: provides effective low frequency extension, enhancing the depth and impact of sound in integrated systems.

Integrated passive low-pass filter: allows direct connection with satellite speakers (GC or GF series) without DSP or dedicated amplification channel, simplifying installation.

Total compatibility with KGEAR amplifiers: perfectly matches GA201, GA41/41L, GA43/43L and GA46/46L for a complete and balanced audio system.

Customisable frameless magnetic design: round or square grid, black or white, paintable to suit any aesthetic context.

Versatile application: ideal for home theatres, hotels, shops, spas, gyms, restaurants, bars and other public or professional environments.

SPECIFICATIONS

Type	Passive Subwoofer
Transducers	8” ferrite magnet woofer
Rated Power	160W
Impedance	8?
Frequency Response	45Hz – 250Hz (-3dB average) built-in low-pass filter
Max SPL	110dB (peak) - Continuos SPL
Coverage	Omni
Dimensions (W x H x D)	277x258x105 mm (10.9x10.2x4.1 in)

Via Enzo Ferrari 10
62017 Porto Recanati (MC), Italy
info@frenexport.it

GC8S-SQW

8" PASSIVE CEILING/WALL-MOUNTED SUBWOOFER (SQUARE GRILLE, WHITE)

Weight	2.0 kg (4.4 lb)
Material	ABS
Colors	White

Via Enzo Ferrari 10
62017 Porto Recanati (MC), Italy
info@frenexport.it