

GA41

COMPACT 4-CHANNEL HIGH-EFFICIENCY CLASS D AMPLIFIER

The KGEAR GA41 is a compact 4-channel high-efficiency Class D amplifier featuring a Powersoft™ power module and DSP processor. With a 2IN-4OUT design delivering up to 150W RMS per channel at 4 ohm, this versatile amplifier is the perfect solution for small to medium audio applications.

Remote Programmability and Customization

GA41 can be remotely programmed using the Powersoft™ ArmoníaPlus software via Ethernet connection, providing precise control and customization for your audio system. With 4 selectable presets that can be adjusted to your needs and recalled by a physical button on the rear panel, GA41 offers a tailored audio experience every time.



Modular Design for Space Efficiency

With its modular design, GA41 amplifier allows for efficient use of space in your installation. Up to 3 GA41 units can fit within just 2 rack units using the G-RACK accessory, ensuring a streamlined setup.

Ideal for a Variety of Applications

KGEAR GA41 amplifier is designed for high-performance permanent installations in venues such as restaurants, bars and pubs, auditoriums, conference rooms, and residential settings.

GA41

COMPACT 4-CHANNEL HIGH-EFFICIENCY CLASS D AMPLIFIER



GA41

COMPACT 4-CHANNEL HIGH-EFFICIENCY CLASS D AMPLIFIER

HIGHLIGHTS




INTEGRATED POWERSOFT™ TECHNOLOGY WITH ADVANCED DSP FOR PROFESSIONAL-GRADE AUDIO PERFORMANCE

GA41 features a state-of-the-art Powersoft™ amplifier module and integrated DSP processor, delivering audio performance and system control expected from top-tier professional systems. Through the ArmoníaPlus™ software interface, users can easily manage EQ, protections, routing, and presets—ensuring pristine, customizable sound for any installation environment.

COMPACT MODULAR DESIGN FOR FLEXIBLE INSTALLATIONS

Compact and modular setup: up to 3 GA41 units in just 2U, enabling clean and flexible installation in multi-channel or distributed systems.



GA41

COMPACT 4-CHANNEL HIGH-EFFICIENCY CLASS D AMPLIFIER

PRODUCT DETAILS

KEY FEATURES

Flexible I/O routing with up to 150W @ 4Ω per channel and 4 user-adjustable presets accessible via rear panel button.

Built with stainless steel for strength and reliability, weighing only 2.6 kg—perfect for demanding installations.

Compatible with international voltage standards, GA41 works reliably even in areas with fluctuating power conditions.

SPECIFICATIONS

Type	4-Channel Class D
Output Power	4x150 W @4Ω
Impedance	4Ω
Connections	2x Combo jack-XLR female line; 1x RJ45; 2x SpeakOn 4 pole
Built-In DSP	Yes
Remote Control	Yes, through Armonia software
Protections	Thermal Protections (Power limiting - Thermal Shutdown); Short-circuit/overload output protections; stationary high frequency protection; peak limiter; RMS limiter; frequency dependent RMS limiter; Clip limiter
Operating Range	85-245 VAC
Dimensions (W x H x D)	145x90x418 mm
Weight	5.7 lb (2,6 kg)
Material	Stainless steel

GA41

COMPACT 4-CHANNEL HIGH-EFFICIENCY CLASS D AMPLIFIER

Colors

Black