
VORTEX 10A

10” COAXIAL ACTIVE FULL-RANGE SPEAKER WITH DSP

A brand-new 10” active molded speaker cabinet. Featuring high performance 1400W (peak) power amplifiers, and a unique coaxial speaker configuration, the VORTEX series are designed to perform and exceed your expectations and requirements for lightweight, portable PA cabinets.

The all new VORTEX series feature set is considerable, with built in DSP, dual 35mm top hat sockets, triple input channels, multiple M10 flying points, up to three carry handles for portability and much more.

VORTEX 10A




Coaxial Speaker Class-D DSP Bluetooth True Wireless Stereo

Via Enzo Ferrari 10
62017 Porto Recanati (MC), Italy
info@frenexport.it

VORTEX 10A

10” COAXIAL ACTIVE FULL-RANGE SPEAKER WITH DSP

HIGHLIGHTS




1400W 2-WAY AMPLIFIER

The Vortex series features 1400W peak Class-D amplifiers, fully controlled by DSP. The processing, thanks to thermal, overload and short-circuit protection systems, guarantees the best performance and maximum stability under any conditions.

24-BIT DSP

The 24-bit DSP allows you to select 5 operating modes (Music, Live, Dj, Speech, Monitor) and adjust the frequency response to suit the environment thanks to the 3-band EQ. The limiter guarantees maximum safety at all times to avoid overloading that could damage the transducers. It is also possible to set delay times, which are extremely useful for aligning the audio system when using many speakers placed at a distance from each other.



Via Enzo Ferrari 10
62017 Porto Recanati (MC), Italy
info@frenexport.it

VORTEX 10A

10” COAXIAL ACTIVE FULL-RANGE SPEAKER WITH DSP

PRODUCT DETAILS

KEY FEATURES

- 1400W 2-Way Amplifier
- 10” Coaxial Woofer with 1” Compression Driver
- 10” Coaxial Woofer with 1” Compression Driver
- 2x Mic/Line Inputs, 1x 3.5mm Line Input, Link Output
- Molded Cabinet with Full Face Steel Grille
- Multiple Carry Handles
- M10 Flying Points and Dual 35mm Top-Hat Sockets (0 and 10 degree)

SPECIFICATIONS

Cabinet type	2-Way Coaxial Active
Frequency Response	55Hz - 20kHz
Max SPL	124dB
Input Sensitivity	0dBu
Amp Peak	1400W
Amp PGM	700W
Amp RMS	350 (300 LF + 50 HF)
Coverage (H x V)	80 x 80 degree
LF driver	10” / 50 mm v.c.
HF driver	34 mm v.c. / 1” throat

Via Enzo Ferrari 10
62017 Porto Recanati (MC), Italy
info@frenexport.it

VORTEX 10A

10” COAXIAL ACTIVE FULL-RANGE SPEAKER WITH DSP

Crossover Frequency	2.2kHz
24-bit DSP	5 Modes (Music, Live, Dj, Speech, Monitor), 3 Band EQ, Delay, Volume
Connection	2 x XLR/Jack Input + 3.5mm, XLR Output
Mounting	Dual Top-Hat, 5x M10 Flying Points
Dimensions (WxHxD)	310 x 515 x 280 mm
Weight (net)	12.5 kg

Via Enzo Ferrari 10
62017 Porto Recanati (MC), Italy
info@frenexport.it