

HYPER BASS 15P

15" BASS-REFLEF PROFESSIONAL PASSIVE SUBWOOFER

HYPER BASS 15P is a passive subwoofer with bass-reflex, compact, lightweight and very easy to use. It is ideal for both fixed installations and live music events or PA in general. HYPER BASS 15P has a program power of 1200W (2400W peak) with a 15" professional custom woofer. This model has a sturdy, lightweight and elegant plywood housing with metal grille and acoustic foam to protect the transducers inside and give an attractive appearance. It also has 2 recessed handles (1 on each side) and a standard M20 mounting hole to allow any type of installation with SUBEST100-BK or SUBST100-M20 poles.

HYPER BASS 15P

b4809dd1-d9c8-49ab-98fd-cd4332d13678.jpg

HYPER BASS 15P

15" BASS-REFLEX PROFESSIONAL PASSIVE SUBWOOFER

PRODUCT DETAILS

KEY FEATURES

Sturdy housing in plywood with front bass-reflex

Anti-scratch powder coating

15" custom woofer with 4" voice coil

Power: 600W RMS - 8ohm (1200W Program / 2400W Peak)

Connection: Speakon Input and Output (+1 Positive, -1)

Recessed handles (1 per side)

Pole mounting with M20 thread

SPECIFICATIONS

Frequency Resp. (-10 dB)	35Hz - 1KHz
Frequency Resp. (-3 dB)	45Hz - 600Hz
Sensitivity (1W @ 1m)	96dB
MAX SPL	127dB
RMS Power	600W
Program/Peak Power	1200/2400W
Impedance	8 Ohm
LF Diameter	15"
LF Voice Coil	4"
Input Connectors	1x2 Poles Speakon connector

HYPER BASS 15P

15" BASS-REFLEF PROFESSIONAL PASSIVE SUBWOOFER

Output Connectors	1x2 Poles Speakon connector
Housing Material	Plywood
Grille Material	Steel
Thickness Grille	1.5mm
Handles	2 Recessed handles (1 on each side)
Pole Mount	SUBEST100-BK or SUBST100-M20 (Optional)
Subwoofer Dimensions (WxHxD)	460 x 610 x 565 mm
Packing Dimensions (WxHxD)	545 x 720 x 640 mm
Subwoofer Weight	32,5 kg
Packing Weight	37,6 kg