LCT240PROBK

HOME RECORDING MICROPHONE "VALUE" PACK BLACK

LCT240PROBK

High-quality recording has never been easier

The **LCT 240 PRO** is a cardioid condenser microphone engineered for home recording, suited for beginners and professionals alike. Whether you are recording podcasts, vocal tracks, live streaming, or acoustic instruments, it is the ultimate go-to choice—just as it has been for iconic studios such as Atlantic Records Studio in New York and Sound Factory in London.

Reliable in every situation

Its cardioid polar pattern effectively prevents bleed, hum, and unwanted ambient noise. Equipped with a high-sensitivity capsule featuring a 3-micron gold-sputtered Mylar diaphragm—ensuring superior sound quality and a remarkably consistent response—the **LCT 240 PRO** handles sound pressure levels up to 142 dBSPL, allowing you to capture any sound source at any volume without distortion.

Everything you need to get started professionally

If you are looking for an all-in-one kit to start recording in studio quality right away, the **"Vocal Set"** has you covered. In addition to the microphone, it includes a dedicated shock mount, a magnetic pop filter to tame unwanted wind noise and plosives (such as hard "P" and "B" sounds), and a protective transport pouch to keep your microphone safe on the go.

Webshop_LCT240PROBLACK_2560x2560_H.jpg

Webshop_LCT240PROBLACK_2560x2560_G.jpg

Webshop_LCT240PROBL

Webshop_LCT240PROBLACK_2560x2560_D.jpg

Webshop_LCT240PROBLACK_2560x2560_A.jpg

Cardioid Polar Pattern Phantom Power

Via Enzo Ferrari 10
62017 Porto Recanati (MC), Italy
info@frenexport.it

LCT240PROBK

HOME RECORDING MICROPHONE "VALUE" PACK BLACK

HIGHLIGHTS

Via Enzo Ferrari 10
62017 Porto Recanati (MC), Italy
info@frenexport.it

LCT240PROBK

HOME RECORDING MICROPHONE "VALUE" PACK BLACK

PRODUCT DETAILS

KEY FEATURES

- Condenser microphone
- Easy home recording
- Crystal clear sound for your podcasts
- Professional sound on stage
- Cardioid polar pattern
- Black color version
- Incl. shock mount, windscreen, transport bag

SPECIFICATIONS

Tipo	Condensatore, permanentemente polarizzato
Acoustical operating principle	Pressure gradient transducer
Transducer Ø	17 mm, 0.67 in
Diaphragm	3 micron gold sputtered Mylar
Modello Polare	Cardioide
Frequency range	20 ... 20,000 Hz
Sensitivity	16.7 mV/Pa, -35.5 dBV/Pa
Self-noise	19 dB (A)
Max. SPL for 0.5 % THD	142 dBSPL
Dynamic range	123 dB (A)

Via Enzo Ferrari 10
62017 Porto Recanati (MC), Italy
info@frenexport.it

LCT240PROBK

HOME RECORDING MICROPHONE "VALUE" PACK BLACK

Internal impedance	100 ?
Supply voltage	48 V ± 4 V
Current consumption	3.1 mA
Connector	Gold plated 3-pin XLR
Microphone enclosure	Zinc die cast
Microphone dimensions	138 x 52 x 36 mm (5.43 x 2.04 x 1.42 inch)
Microphone net weight	310 g, 10.9 oz

Via Enzo Ferrari 10
62017 Porto Recanati (MC), Italy
info@frenexport.it