MG-30

MODELING GUITAR/BASS PROCESSOR

MG-30 takes the NUX Modeling algorithm to another level: from HD to 2K! Working musicians need quality before quantity: knowing this NUX focused on 30 classic essentials and made each live up to the standards of the most demanding players. MG-30 top-shelf collection includes 25 electric guitar amp models, 2 acoustic amp models, 3 bass amp models. Spotting the best IRs technology based on NUX acclaimed Solid Studio, top quality FX sections, built in looper + drum machine and wide connectivity, MG-30 is a true arsenal for recording, practicing, reherasing and shining stage performances. And with NUX Quick Tone™ software you can easily tweak parameters, download patches, load 3rd party IRs and even set up USB audio-stream routing.

MG-30

e993e0c7-97a0-432c-8c82-810f90d04f98.jpg

a47d5945-c2a9-4e49-b602-4883a450e96b.jpg

3af23866-acb2-438e-9d7c-a2a0fa


646f69cd-3fe3-455f-adb4-1d5f748dcfac.png

Via Enzo Ferrari 10
62017 Porto Recanati (MC), Italy
info@frenexport.it

MG-30

MODELING GUITAR/BASS PROCESSOR

HIGHLIGHTS




4" LARGE COLORFUL LCD

Intuitive user interface with a large colorful LCD lets you get rid of reading manuals.
The 5-way encoder navigates lets you for quick editing, signal block routing, jack setting, and more. Signal block indicator presents current status, and helps you quickly engage/bypass or edit related effects.

30 TOP QUALITY AMP MODELS


Included in the top-shelf collection are: 25 legendary electric guitar amp models, 2 acoustic amp models, 3 bass amp models.



Via Enzo Ferrari 10
62017 Porto Recanati (MC), Italy
info@frenexport.it

MG-30

MODELING GUITAR/BASS PROCESSOR





THE LATEST IR TECHNOLOGY

NUX created the iconic Solid Studio which was famous for its great sounding cab IRs with 8 legendary mics and 3 mic positions. Also including 8 bass cabinet IRs + 3 acoustic guitar IRs + Third party IRs.

FX AND BLOCK ROUTING

Hi quality FX (Wah, Comp, Gate, Efx, Eq, Mod, Dly, Rvb) and Block Routing (11 independent moveable signal blocks w/optional parallel post FX routing).





PHRASE LOOPER + DRUM

60s Phrase Loop (mono, 30s stereo) with rhythm synchronization Drum machine.


Via Enzo Ferrari 10
62017 Porto Recanati (MC), Italy
info@frenexport.it

MG-30

MODELING GUITAR/BASS PROCESSOR

QUICK TONE™ EDITOR SOFTWARE

Connect to NUX Quick Tone™, and you can easily tweak parameters, download patches, load 3rd party IRs, and even set up USB audio-stream routing. Quick Tone is an interactive edit software - when you tweak the Real knobs, you'll see your changes in Real time.



Via Enzo Ferrari 10
62017 Porto Recanati (MC), Italy
info@frenexport.it

MG-30

MODELING GUITAR/BASS PROCESSOR

PRODUCT DETAILS

KEY FEATURES

- A top selection among most valuable classics amps: 25 electric guitar amp models, 2 acoustic amp models, 3 bass amp models
- Amp modeling with NUX TSAC-2K technology that replicates at higher level the playability most guitarists prefer in a real tube amplifier
- 2 powerful NXP® RT processors for 1024 sample resolution IRs (8 cabinets, 8 mics, 3 mic positions) with ultra-low system latency (3rd party editable IR allowed)
- 4" Large Colorful LCD for easy and intuitive navigation
- Hi quality FX (Wah, Comp, Gate, Efx, Eq, Mod, Dly, Rvb) and Block Routing (11 independent moveable signal blocks w/optional parallel post FX routing)
- Built in drum and looper featurin NUX Phrase Loop Synchronization with Rhythm (56 beats and 60 sec looping)
- Quick Tone editor software
- Built in Expression pedal (multi function) + additional NMP-2 Lite footswitch (included)
- The versatile I/O can let you run 4 cable method or connect with other effects, and you can adjust the SEND / RETURN Loop at any position in the signal path.
- Including: power adapter, NMP-2 lite footswitch, patch cable, USB cable

SPECIFICATIONS

Sampling frequency	48kHz
System Latency	2ms
Dynamic range	~ 110dB
Processor	2 x NXP® RT
Audio Codec	2 x AD/DA AKM AK4558EN 32-bit
Power	9V DC negative center

Via Enzo Ferrari 10
62017 Porto Recanati (MC), Italy
info@frenexport.it

MG-30

MODELING GUITAR/BASS PROCESSOR

Dimensions	313x166x54 mm
Weight	1.5 kg

Via Enzo Ferrari 10
62017 Porto Recanati (MC), Italy
info@frenexport.it