

GA201

ULTRA-COMPACT STEREO CLASS D AMPLIFIER, 2X125 W @ 2Ω, LINKABLE, FOR FIXED INSTALLATIONS

The **KGEAR GA201** is a **compact and powerful Class D stereo amplifier**, delivering **up to 2x125 W at 2Ω loads** in a remarkably small footprint. Designed for **space-sensitive installations**, the GA201 is perfect for **retail, hospitality, and residential environments** where performance and discretion are both essential.

Its **modular design** allows up to **6 units (12 channels)** to be **mounted in just 1RU** with the G-RACKMINI accessory, while the **3.5 mm link-through jack** makes system expansion seamless.

Ideal for use with **GF series loudspeakers** and the **GS6 subwoofer**, the GA201 provides an **efficient and flexible distributed audio solution** for small-scale applications.




GA201

ULTRA-COMPACT STEREO CLASS D AMPLIFIER, 2X125 W @ 2Ω, LINKABLE, FOR FIXED INSTALLATIONS

HIGHLIGHTS


STEREO POWER OF 2X125 W AT 2Ω IN JUST 72 MM WIDTH

A compact yet high-performance solution, ideal for **efficient distributed systems** in space-constrained environments.



MODULAR CONFIGURATION LINKABLE UP TO 6 UNITS (12 CHANNELS) IN 1U

Designed for **expandable and space-saving installations**, perfect for multi-zone projects and flexible integrations.



GA201

ULTRA-COMPACT STEREO CLASS D AMPLIFIER, 2X125 W @ 2?, LINKABLE, FOR FIXED INSTALLATIONS

PRODUCT DETAILS

KEY FEATURES

Two Channel Amplifier

Compact and modular design

Fits high-end fixed installations

Use G-RACKMINI to fit 6 GA201 in a 1U Rack

SPECIFICATIONS

Type	2-ch Class D power amplifier
Output Channels	2x 125 W @ 2?
Minimum Impedance	4? (2? for background music use)
Operating Voltage	12-24 VDC 4A
Power Supply Operating Voltage	Dedicated AC/DC power adapter
AC Current	1A Nominal
Dimensions WxHxD	72mm x 43mm x 134mm
Input connectors	Analog Unbalanced 3.5mm Jack, Stereo
Output connectors	2x Speaker Output Euroblock (Phoenix MSTB 2,5/ 2-ST-5,08 plug) 1x Line Link Output 3,5mm Mini Jack stereo
Protections	Thermal Protections (Power limiting - Thermal Shutdown), Shortcircuit/overload output protections, stationary high frequency protection, peak limiter, RMS limiter, frequency dependent RMS limiter, Clip limiter
Weight	1 kg (2.2 lbs)

GA201

ULTRA-COMPACT STEREO CLASS D AMPLIFIER, 2X125 W @ 2?, LINKABLE, FOR FIXED INSTALLATIONS

Material Stainless steel

Colors Black