

B-2 PLUS

DIGITAL WIRELESS SYSTEM FOR GUITAR (2.4GHZ ISM WORLDWIDE)

The NUX B-2 PLUS is a pocket-size 2.4GHz wireless system that offers guitar players an easy solution to go wireless. Featuring the latest NUX wireless transmission algorithm, B-2 PLUS secures a **better connection in a noisy RF environment**.

With the newly-added auto-off function, you'll never have to worry about leaving the system on and draining out the batteries. UX B-2 PLUS offers **32bit/44.1KHz high definition audio quality** and has a comparable operating range of 60 feet (line-of-site) with **less than 5ms of latency**.

You can also take advantage of its four optional channels when gigging with your friends: up to four B-2 PLUS can be used at the same time in one space.

B-2 PLUS

8c1c5ecf-d629-4ad6-adf4-d299d8946647.jpg

1fc9e5ed-c385-4d7d-a5da-bb4f32230e8d.jpg

c386414a-1550-4431-8a9e-b41bfbe

B-2 PLUS

DIGITAL WIRELESS SYSTEM FOR GUITAR (2.4GHZ ISM WORLDWIDE)


HIGHLIGHTS

HI QUALITY TRANSMISSION, ULTRA LOW LATENCY

32bit/44.1KHz audio quality and latency <5 ms: you won't miss
your cable!

MORE STABILITY, LESS INTERFERENCES

Narrower bandwidth (2Mb only) provides better anti-interference
ability.



ULTRA SLIM DESIGN + SWIVEL JOINT = UNIVERSAL

Fits virtually any kind of guitar with any kind of
bridge/tremolo/body shape.

B-2 PLUS

DIGITAL WIRELESS SYSTEM FOR GUITAR (2.4GHZ ISM WORLDWIDE)

PRODUCT DETAILS

KEY FEATURES

Narrowed band (2MB only) for better stability and less WiFi interferences

Hi quality transmission, low latency

Lower power consumption

4 Channels, ideal for bands

Auto sleep/wake up mode for transmitter and receiver

USB rechargeable

Swivel joint to match any kind of guitar

System includes transmitter, receiver, USB cable

SPECIFICATIONS

Opeartion freq. band	2.4 Ghz
Audio quality	32 bit/44.1 KHz Hi-Res
Latency < 5ms	
Dimensions	73(L) x 40(W) x 55(H) mm
Weight	57 gr