

Air Motion V2 Red



## **THREE-WAY PASSIVE DESIGN SPEAKER WITH 12“, 8” AND 1.5” (RED)**

Air Motion is not just a loudspeaker – it is an icon of design and sonic power. Its unmistakable sculptural shape, composed of three separate modules each with an isometric horn, is crafted to make a bold visual statement in the most exclusive venues – from high-end clubs to cultural or exhibition spaces.

Equipped with a 12” low-frequency woofer, an 8” midrange driver, and a 1.5” high-frequency compression driver, each loaded by a dedicated conical horn, Air Motion ensures controlled dispersion (60°H x 50°V) along with exceptionally balanced and coherent sound transmission.

Its fibreglass composite enclosure minimizes structural resonance, enhancing sonic clarity, while multiple finish options – including custom colours – make it a true design element adaptable to any environment.


With peak performance reaching 138 dB, visual customization, integrated suspension, and left/right configuration options, every aspect is designed to deliver maximum flexibility, elegance, and sound quality.



Air Motion V2 Red

# **THREE-WAY PASSIVE DESIGN SPEAKER WITH 12“, 8” AND 1.5” (RED)**

---



Air Motion V2 Red

# THREE-WAY PASSIVE DESIGN SPEAKER WITH 12“, 8” AND 1.5” (RED)

## HIGHLIGHTS




### LOW-RESONANCE FIBREGLASS COMPOSITE CONSTRUCTION

The use of **fibreglass material** ensures a **rigid and stable enclosure**, minimizing cabinet resonance and contributing to **clearer and more accurate audio reproduction**.

### ADVANCED DISPERSION CONTROL FOR PRECISE AND DEFINED AUDIO TRANSMISSION

A conical horn expansion rate was used to provide solid radiation angles, resulting in tighter beam width control and constant directivity. These advantages provide exceptionally balanced waveform transmission with greater definition.



Air Motion V2 Red

## **THREE-WAY PASSIVE DESIGN SPEAKER WITH 12“, 8” AND 1.5” (RED)**

---




### **ICONIC TRIPLE MODULE DESIGN WITH ISOMETRIC SHAPE**

The Air Motion features a bold, sculptural aesthetic that is unique in the professional audio scene. Its impactful appearance makes it perfect for environments where the eye also wants its share.

---

### **CUSTOM COLORS AVAILABLE UPON REQUEST**

In addition to the 3 iconic Void brand colors -red, white and black- Air Motion can be produced in several other custom colors (the colors visible in the image are examples for illustrative purposes)



Air Motion V2 Red

# THREE-WAY PASSIVE DESIGN SPEAKER WITH 12“, 8” AND 1.5” (RED)

## PRODUCT DETAILS

### KEY FEATURES

High acoustic performance: with a power output of 500 W AES (LF) and 250 W AES (MHF), the Air Motion reaches up to 138 dB peak, making it suitable for even the most demanding environments.

Integrated suspension and flexible mounting options: compatible with floor stand or suspended brackets, for perfect adaptability to any type of installation.

Three-way structure with separate transducers: each frequency range is entrusted to a dedicated driver for precise, powerful and well-balanced sound reproduction across the audio spectrum.

### SPECIFICATIONS

Frequency response	140 Hz - 20 kHz ±3 dB
Efficiency	LF 106 dB 1W/1m   MHF 108 dB 1W/1m
Crossover points	LF 140 Hz and 600 Hz   MHF
Nominal impedance	LF 8 Ω   MHF
Power handling	LF 500 W AES   MHF 250 W AES
Maximum output	132 dB cont, 138 dB peak
Driver configuration	1 x 12" LF   1 x 8" MF   1 x 1.5" HF compression driver
Dispersion	60°H x 50°V
Protection	Internal electronic control
Connectors	2x 4-pole speakON NL4
Weight	35.4 kg (78 lbs)
Enclosure	Fibreglass composite

Air Motion V2 Red

## THREE-WAY PASSIVE DESIGN SPEAKER WITH 12“, 8” AND 1.5” (RED)

<b>Rigging</b>	Integral mounting system
<b>Colors</b>	Red (custom colours available upon request)
<b>Dimensions (W x H x D)</b>	850.44mm x 671.25mm x 660mm