

PA MONITOR FOR DIGITAL DRUMS WITH BT MODULE

NPA-100 is a **120 W** monitor speaker designed for **digital drum s**, featuring high power, high resolution, and full-range performance.

Upgraded specifically for the NUX digital drum series, it performs perfectly in practice, rehearsals, and recordings. It offers high **dynamics** and **rich expression**, accurately capturing the details of a drummer's performance.













PA MONITOR FOR DIGITAL DRUMS WITH BT MODULE

HIGHLIGHTS



CONCEIVED FOR DRUM

NPA-100 is designed with circuitry optimized for the frequency range of drum. It features three adjustable knobs for controlling the treble, middle and bass frequencies, giving you great flexibility. It is equipped with a 12-inch woofer, two 2-inch tweeters, and a rated power of 120W, offering ample dynamic headroom for rehearsals and stage performances.

VERSATILE USAGE

The NPA-100 offers two input channels, allowing you to connect two digital instruments with audio output at the same time. With two NPA-100, a standard four-piece band can achieve a powerful performance. For large-scale concerts, the NPA-100 can also be used as a stage monitor speaker.





PA MONITOR FOR DIGITAL DRUMS WITH BT MODULE



DEDICATED DIGITAL DRUM INPUT, BT AND LINE INPUT

The NPA-100 is equipped with two input channels, allowing you to connect two 6.35mm cables or a single 6.35mm stereo cable directly. You can connect via Bluetooth for playback.

Alternatively, you can use the 3.5mm line input to connect external audio devices, such as CD players, MP3 players.

XLR OUTPUT FOR RECORDING YOUR PERFORMANCE

NPA-100 features two balanced XLR DI OUT ports, allowing you to directly connect to a mixing console or record your performance through a recording device.





PA MONITOR FOR DIGITAL DRUMS WITH BT MODULE

PRODUCT DETAILS

KEY FEATURES

120-Watt powerhouse

12"woofer and two 2"tweeters

Dual-channel inputs with dedicated volume controls

Two XLR outputs with differential capabilities

3-band EQ (Bass, Middle, Treble)

BT module included

SPECIFICATIONS

Output Power	120 W
Frequency Response	45Hz-20kHz (-3DB)
Woofer	12"x1
Tweeter	2"x2
2 x Stereo inputs (impedance 10k?)	
1 x Stereo Aux In (impedance 10k?)	
1 x DI OUT (impedance	560?)
(EQ Control) Bass Frequency	±10dB (20Hz to 360Hz)
(EQ Control) Mid Frequency	±10dB (360Hz to 4kHz)
(EQ Control) Treble Frequency	±10dB (4kHz to 20kHz)
Power Supply	AC 100-240V 50/60Hz





NPA-100 PA MONITOR FOR DIGITAL DRUMS WITH BT MODULE

Dimensions 463(L)x434(W)x405(H)mm

Weight 15.8 kg

