

PRO82

STUDIO MONITORING HEADPHONES BLACK FINISHING

Design and comfort. For your recording and monitoring sessions in studio or live TAKSTRA PRO 82 over-ear will let you listen every sound detail thanks to the new 40mm neodymium driver capable to capture the slightest sound details. In this way the user is guaranteed a professional and trustable recording mix. Even for the most demanding and hours longlasting monitoring activities the softness of PRO 82 will represent a great value tool for every sound engineer.

PRO82

84fa1c2c-3391-4409-b8d1-d2d38fa77e20.jpg

439e2505-cb86-4fe6-8e03-91f5dd485598.jpg

568f2279-d068-4a0c-ade6-7022b59

PRO82

STUDIO MONITORING HEADPHONES BLACK FINISHING

PRODUCT DETAILS

KEY FEATURES

Ø40mm new Neodymium driver features high sensitivity, wide response range and large dynamic

Adopts high polymer coating diaphragm, pure bass, penetrating mids and exquisite highs

Soft and comfortable headband and ear pads for long time listening without stress

Ergonomic design fits different head shapes

Designed with 3 level bass adjustment function, user can adjust the bass according to the music style to exert the best performance

Recording monitoring, music listening

What's in the box? PRO 82 headphone 1pc, Ø3.5mm to Ø6.3mm gold-plated connector 1pc , Portable cloth bag 1pc, 2.2mt connecting cable 1pc Aluminum case 1pc User manual

SPECIFICATIONS

Transducer Principle	Dynamic
Driver Diameter	Ø40mm
Impedance	32? $\pm$ 15%
Frequency Response	10Hz-20KHz
Sensitivity	96 $\pm$ 3dB at 1KHz
Max. Power	20mW
Rated Power	10mW
Cable	Ø4mmX2.2m
Adaptor Plug	Ø3.5mm+6.3mm

PRO82

STUDIO MONITORING HEADPHONES BLACK FINISHING

Net Weight

235(w/o cable)