


CYC55.1RED

PASSIVE COAXIAL COMPACT LOUDSPEAKER WITH 2X 5" DRIVERS, FIBREGLASS ENCLOSURE, 16 Ω, IP-55 (RED)

The Cyclone 55 is an ultra-compact passive loudspeaker designed to deliver high fidelity and definition in both indoor and outdoor environments. With its non-resonant fibreglass construction, IP-55 weather protection, and stylish form factor, it is ideal for coastal and outdoor locations such as beach bars, resorts, cruise ships, and public areas.

Its two-way coaxial transducer configuration provides accurate directivity and phase consistency, while the wide dispersion (110° x 70°) ensures effective coverage with fewer speakers. A dedicated bracket allows for quick, secure mounting and extensive aiming flexibility.



2-Way Speaker or type unknown
Coaxial Speaker or type unknown

CYC55.1RED

PASSIVE COAXIAL COMPACT LOUDSPEAKER WITH 2X 5" DRIVERS, FIBREGLASS ENCLOSURE, 16 °, IP-55 (RED)

HIGHLIGHTS



IDEAL FOR COASTAL OUTDOOR ENVIRONMENTS

The wide range of adjustments allows the dispersion pattern to be accurately aimed at large audiences, requiring a minimal number of loudspeakers. Well suited to a variety of outdoor and indoor spaces including beach bars, resorts and cruise ships.


MAXIMUM AUDIO PERFORMANCE FROM AN ULTRA-COMPACT IP-55 LOUDSPEAKER

With its **coaxial transducer array**, **fibreglass enclosure**, **controlled dispersion**, and **weather-resistant components**, the Cyclone 55 delivers **clear, wide and natural sound** from an **aesthetically discreet format**. The ideal solution for delivering **high-quality audio** in challenging outdoor environments.



CYC55.1RED

PASSIVE COAXIAL COMPACT LOUDSPEAKER WITH 2X 5" DRIVERS, FIBREGLASS ENCLOSURE, 16 Ω, IP-55 (RED)



COMPACT, NON-RESONANT FIBREGLASS ENCLOSURE

Lightweight yet robust construction, minimizing unwanted resonances even at high SPL thanks to its material and structure.

CUSTOM COLORS AVAILABLE UPON REQUEST

In addition to the 3 iconic Void brand colors -red, white and black- Cyclone 55 can be produced in several other custom colors (the colors visible in the image are examples for illustrative purposes)



CYC55.1RED

PASSIVE COAXIAL COMPACT LOUDSPEAKER WITH 2X 5" DRIVERS, FIBREGLASS ENCLOSURE, 16 Ω, IP-55 (RED)

PRODUCT DETAILS

KEY FEATURES

Two 5" woofers in a reflex-loaded cabinet with coaxially mounted soft dome tweeters for coherent and low-distortion sound reproduction.

Wide dispersion and efficient coverage: controlled directivity of 110° horizontal × 70° vertical, enabling wide audience coverage with fewer loudspeakers.

IP-55 weather protection: UV-resistant coating and marine-grade stainless steel fittings ensure reliable performance in outdoor or marine environments.

Secure and adjustable mounting: supplied wall bracket allows for secure, flexible installation with broad aiming capability.

SPECIFICATIONS

Frequency Response	70 Hz - 23 kHz ±3 dB
Efficiency	92 dB 1W/1m
Crossover Points	3.6 kHz passive
Nominal Impedance	16 Ω
Power Handling	120 W AES
Maximum Output	112 dB cont, 118 dB peak
Driver Configuration	2x 5" LF, 2X 1" soft dome HF tweeter
Dispersion	110°H x 70°V
Connectors	Phoenix Connectors with link out
Dimensions (W x H x D)	309mm x 192mm x 232mm
Weight	3.2 kg (7.1 lbs)

CYC55.1RED

PASSIVE COAXIAL COMPACT LOUDSPEAKER WITH 2X 5" DRIVERS, FIBREGLASS ENCLOSURE, 16 Ω, IP-55 (RED)

Enclosure	Fibreglass composite
Rigging	Wall bracket included, Type 51 plate
Finish	Smooth cellulose
Colors	Red (Custom colours available upon request)