

Take your sound to the next level with the NUX AXON 3, a professional-grade ultra-compact studio reference monitor designed for precision, clarity, and versatility.

Whether you're mixing, mastering, producing, or streaming, AXON 3 delivers exceptional audio performance in a **portable**, backpack-friendly size.





















FRENEXPORT











HIGHLIGHTS



90W BI-AMP POWER WITH 3" WOOFERS

Four Class-D amplifiers drive each speaker independently for maximum efficiency, delivering **90W RMS** power for a clean, dynamic, and highly detailed sound. Two **3" neodymium woofers** with bass ports reach down to 55Hz, while **two 3/4" silk dome tweeters** provide crisp highs.

FLEXIBLE AUDIO I/O

The AXON 3 offers a wide range of connectivity options, including USB DAC for high-quality digital audio input, Bluetooth streaming for wireless convenience, 1/4? stereo inputs for versatile instrument connections, RCA for compatibility with vinyl or other audio systems, and 1/8? AUX for easy integration with mobile devices or external audio sources. Whether you're working in the studio or on the go, it ensures seamless connection to all your audio sources.







MAGNETIC FOOTPADS & 3/8" MOUNTING SOCKET

The AXON 3 features two **magnetic footpads** with **adjustable tilt** angles of +9° and -5° to direct sound precisely to your ears while minimizing desk vibrations. The bottom also includes a **3/8? female socket** for secure mounting on any microphone or speaker stand, offering flexible placement options.

STUDIO-GRADE PERFORMANCE ANYWHERE

The AXON 3 delivers professional sound in any environment. Its compact size, lightweight design, and **included carrying bag** make it ideal for music production, composing, video editing, live streaming, and more—ensuring exceptional sound quality and precision wherever you go.





PRODUCT DETAILS

KEY FEATURES

Professional-quality bi-amplified two-way monitor speakers delivering 90W RMS power for balanced performance

3-inch neodymium magnet drivers for deep bass and 3/4-inch silk dome tweeters for smooth highs

Precise, flat, and detailed sound with low-frequency extension down to 55Hz

Backpack-friendly size with a maximum SPL of 107dB

Onboard high-resolution digital signal processing for accurate sound

Comes with AXON STUDIO software and an APP for customizable acoustic correction

Adjustable magnetic footpads for tilt and enhanced sound precision

Enables real-time music streaming via Bluetooth connection

High-dynamic USB AUDIO DAC for premium Hi-Fi audio

RCA unbalanced stereo inputs for vinyl systems

Includes 4-pin stereo link cable and power supply

SPECIFICATIONS

Туре	Bi-amp 2-way powered reference studio monitor
Crossover Frequency	3kHz
Frequency Responses	55Hz-20kHz (-3dB) 45Hz-22kHz (-10dB)
Tweeter	3/4-inch silk dome
Woofer	3-inch neodymium magnet
Enclosure	Specially designed long-guided bass-reflex type
Material	ABS
Max. SPL	107dB





Number of Amps 4

utput Power Total 45W + 45W LF 30W HF 15W

Input Impedance 10k ohms /-10dBu

Amplifiers Type Class D

Connectors 2 x 1/4" TS input 2 x RCA unbalanced input 1 x 1/8" stereo AUX input 4-pin speakers connector

Bluetooth Bluetooth 5.0 Compatible with AVRCP Profile V1.6, A2DP Profile V1.3 and HFP Profile V1.7

USB DAC 48kHz 24bits

Controls Volume control

Built-in DSP acoustic correction EQ, app/software controlled

Dimensions 204.5(L) x 9.4(W) x 150(H) mm (Single)

Weight 1.98kg (Pair)

