


GH8W ULTRA-COMPACT 8" FULL-RANGE PASSIVE SPEAKER (WHITE)

The **GH8** is an **ultra-compact passive loudspeaker** that inherits the high-quality performance of the **GH4**, offering exceptional sound and optimal coverage in a versatile format. Equipped with an **8-inch full-range driver** with dual cones, it is capable of reproducing powerful and clear sound even in acoustically complex environments. Its **cardioid technology** reduces the sound emission at the back, improving sound control and preventing the dispersion of energy and residual noise.

The robust **stainless steel construction** and **compact design** make the GH8 extremely durable and suitable for use in any environment, both indoors and outdoors, with an **IP64** rating that ensures protection against dust and water splashes. In addition, the integration of **Pure Array (PAT) and Slim Array (SAT) technologies** allows for **optimised sound coverage**, perfect for distributed audio applications or to create speaker arrays with even greater performance.



GH8W

ULTRA-COMPACT 8" FULL-RANGE PASSIVE SPEAKER (WHITE)



GH8W

ULTRA-COMPACT 8" FULL-RANGE PASSIVE SPEAKER (WHITE)

HIGHLIGHTS

COMPACT AND VERSATILE DESIGN

The GH8 delivers **exceptional audio power** in an ultra-compact form. It can be used as a **point source speaker** for distributed audio, or combined with other units to form longer arrays, **ensuring optimized sound coverage** and unmatched audio quality.

CARDIOID DESIGN

The **cardioid dispersion pattern** reduces emission on the speaker's rear, improving **sound control** and minimizing residual noise.

GH8W

ULTRA-COMPACT 8" FULL-RANGE PASSIVE SPEAKER

(WHITE)

PRODUCT DETAILS

KEY FEATURES

- Exceptional Sound Performance: The 8" dual-cone driver delivers clear and powerful sound with a maximum SPL of 129 dB, providing strong and detailed audio even in acoustically challenging environments.
- Cardioid Dispersion Design: The cardioid dispersion pattern reduces emission on the speaker's rear, improving sound control and minimizing residual noise.
- Durable Stainless Steel Cabinet: The stainless steel construction is designed to withstand harsh environments, with an IP64 rating ensuring protection from dust and water splashes.
- Pure Array and Slim Array Technology: The integration of Pure Array Technology (PAT) and Slim Array Technology (SAT) ensures a perfect blend for distributed audio applications and the creation of speaker arrays.

SPECIFICATIONS

Type	Passive point source loudspeaker with PAT and SAT	
Transducers	8" ferrite magnet dual-cone driver	
Frequency Response	120 Hz - 18 kHz (-6dB)	
Max SPL	129 dB	
Rated Power	300 W	
Coverage	V. 90° H. 90°	
Connectors	Phoenix connector with speaker relaunch (4-pin euroblock) 2x SpeakOn NL4 1+ 1- (signal); 2+ 2- (through)	
Nominal Impedance	16 ?	
Dimensions (W x H x D)	220x 220 x 161mm (8,7 x 8,7 x 6,3 inches)	

GH8W

ULTRA-COMPACT 8" FULL-RANGE PASSIVE SPEAKER (WHITE)

Weight	5,8 kg (12.8 lbs)
Material	Stainless steel
Colors	White
IP Rating	IP64 (G-IPCAP1 and K-IP65KITA accessory required)