TWILIGHT 360 L PRO

3-IN-1 MOVING HEAD FIXTURE

TWILIGHT 360 L PRO


The Centolight **Twilight 360 L Pro** is a compact yet highly versatile 3-in-1 moving head fixture, integrating Beam, Spot, and Wash capabilities in a single professional unit. Powered by a 360W Appotronics white LED, it delivers powerful, uniform, and flicker-free output, making it perfectly suited for broadcast, film, and live performance environments.

The fixture is equipped with a smooth, linear motorized zoom, providing a wide range of beam angles: 4°–32° in Spot mode and 3°–18° in Beam mode, complemented by precise linear focus for accurate and sharp projection. Its advanced effects package includes a 13-color dichroic color wheel, static and rotating gobo wheels with gobo overlay, a 3-facet rotating prism with variable speed and direction, frost filter, and high-speed strobe.


Professional motion control is ensured by 540° pan and 270° tilt with 8/16-bit resolution, scan position memory with automatic repositioning, and reversible pan/tilt functionality. The Twilight 360 L Pro supports a full range of control protocols, including DMX512, RDM, Master/Slave, Auto, and Sound-activated modes.

Designed for demanding professionals, the Twilight 360 L Pro delivers high-quality output, reliability, and exceptional flexibility, making it an ideal solution for a wide variety of lighting applications.


58944cc6-6309-4a46-8f0d-0125ead0c041.jpg




d276e52b-5920-4f76-a355-eb969eb49165.jpg



d3aeff87-5e8b-4511-8a09-82ef21f22c47.jpg



5c9ce5fb-a3cc-4f57-9898-31cf00703662.jpg



DMX-512 Control RDM Communication Zoom


Fan Controlled by Processor

Via Enzo Ferrari 10
62017 Porto Recanati (MC), Italy
info@frenexport.it

TWILIGHT 360 L PRO

3-IN-1 MOVING HEAD FIXTURE

HIGHLIGHTS




THREE FUNCTIONS IN A SINGLE FIXTURE

The **Twilight 360 L Pro** combines **Beam, Spot, and Wash** in a single moving head, offering complete operational flexibility. This integration allows one fixture to perform multiple roles within the same show, reducing the number of units required, simplifying rigging, and optimizing setup time and production costs. It's an ideal solution for **rental companies, theaters, and installations** where versatility is essential without compromise.

POWER AND PRECISION WITHOUT COMPROMISE


At the heart of the fixture is a **360W Appotronics white LED**, designed to deliver **high intensity, uniform beams, and flicker-free output**, crucial for broadcast and video applications. The **smooth motorized linear zoom** and **high-precision focus** provide extremely accurate beam control, ensuring sharp, defined projections perfectly adaptable to any lighting scenario.



Via Enzo Ferrari 10
62017 Porto Recanati (MC), Italy
info@frenexport.it

TWILIGHT 360 L PRO

3-IN-1 MOVING HEAD FIXTURE



COMPACT SIZE, SPECTACULAR PERFORMANCE

Despite its **compact and optimized design**, the Twilight 360 L Pro delivers **impressive luminous output**, comparable to larger, higher-end moving heads. This balance of **high power and small footprint** makes it ideal for **tours, live productions, clubs, theaters, and fixed installations** where space is limited but visual impact must remain maximum. A strategic choice for professionals seeking **efficiency, reliability, and top-tier performance** in a single fixture.

Via Enzo Ferrari 10
62017 Porto Recanati (MC), Italy
info@frenexport.it

TWILIGHT 360 L PRO

3-IN-1 MOVING HEAD FIXTURE

PRODUCT DETAILS

KEY FEATURES

3-in-1 functionality - Beam, Spot, and Wash modes
1 x 360W White Appotronics LED
Lamp life span 20.000 Hrs
High power Lumen output
Flicker-free operation for broadcast TV and film
Smooth and linear motorized zoom
CRI ?70
Beam Angle SPOT Mode 4°-32° - Beam mode: 3°-18°
Smooth and precise Linear Focus
540°/270° (8-16 bit) Pan/Tilt
Scan position memory, auto reposition after unexpected movement
Reversible Pan/Tilt
1x Color wheel with 13 dichroic colors plus open
1x Static gobo wheel with 12 gobos plus open
1x Rotating gobo wheel with 8 rotatable gobos plus open
Gobo Overlay
3-facet circular prism with variable speed and direction
Frost filter
0-25Hz shutter/strobe effect with variable speed
0-100% smooth linear dimming

Via Enzo Ferrari 10
62017 Porto Recanati (MC), Italy
info@frenexport.it

TWILIGHT 360 L PRO

3-IN-1 MOVING HEAD FIXTURE

DMX Recorder and Edit function integrated

RDM available (Remote Device Management)

SPECIFICATIONS

Input Voltage	AC100-240V, 50-60Hz
Power Consumption	395W
Light Source	1x360W, White LED
LED Life span	20.000Hrs
Flicker-free	Yes
Display	LCD Display (reversible)
Color Temperature	9500K (±500)
CRI	?70
Beam Angle Beam	3°-18°
Beam Angle spot	4°-32°
Pan	540° (8-16 bit) low noise
Tilt	270° (8-16 bit) low noise
Dimmer	0%-100% Dimmer
Strobe	0-25Hz shutter/strobe with variable speed
Ambient Temperature	-25°C - 45°C
DMX Channels	17CH
Control Mode	DMX, Master/Slave, Auto, Sound
DMX Connectors	3-pin XLR Inputs/Outputs
Power Connectors	Powercon Input/Output
Fuse	5A
IP Grade	IP20

Via Enzo Ferrari 10
62017 Porto Recanati (MC), Italy
info@frenexport.it

TWILIGHT 360 L PRO

3-IN-1 MOVING HEAD FIXTURE

Fixture Dimensions (WxDxH)	316,5 x 234,5 x 549 mm(12.46 x 9.23 x 21.61 in.)
Packing Dimensions (WxDxH)	365 x 360 x 520 mm(14.37 x 14.17 x 20.47 in.)
Product Weight	12 kg – 26.45 lbs.
Package Weight	14.3 kg – 31.52 lbs.

Via Enzo Ferrari 10
62017 Porto Recanati (MC), Italy
info@frenexport.it