

GM44L

4-ZONE ANALOG AUDIO MATRIX FOR AUDIO DISTRIBUTION

The GM44L is a highly versatile 4-zone analog audio matrix designed to simplify multi-zone sound distribution in a variety of settings.

Whether you're managing audio across different areas in a restaurant, hotel, corporate building, or residential space, the GM44L offers an intuitive solution to control and distribute sound with precision. This matrix allows you to manage 4 independent audio zones, with complete flexibility to assign and mix audio sources as needed.

Equipped with 4 stereo line inputs, each with gain control, you have full flexibility to adjust levels for each zone. The 4 stereo line outputs come with separate treble and bass adjustments, giving you detailed control over the sound across all zones. Plus, the inclusion of 4 zone input selectors means that you can easily switch between audio sources for each zone, making it perfect for dynamic environments with varying audio needs.

An auxiliary input allows you to mix it into any of the outputs independently, providing a useful tool for emergency or priority announcements. Additionally, the dry contact input gives you the ability to mute all inputs except for the priority aux input, ensuring that important announcements can always be heard.


The GM44L is designed for seamless integration with other audio equipment. Multiple units can be linked together, expanding the number of outputs as your setup grows. The GM44L connects with 3.5mm stereo jack connectors, and it is compatible with the GA201 amplifier for a complete audio solution. Its compact design and easy installation make it an excellent choice for professional audio installations in bars, restaurants, conference rooms, or home setups where high-quality audio control and flexibility are essential.



GM44L

4-ZONE ANALOG AUDIO MATRIX FOR AUDIO DISTRIBUTION

HIGHLIGHTS




INDEPENDENT AUDIO CONTROL FOR EACH ZONE

Fully personalized management of **4 independent audio zones**, each with dedicated controls: source selection, volume, bass, and treble. All analog, no complexity.


PRIORITY INPUT WITH DRY CONTACT

A dedicated priority input with automatic override across all zones, triggerable via dry contact. Ideal for emergency messages, public announcements, or evacuation systems requiring maximum reliability.



GM44L

4-ZONE ANALOG AUDIO MATRIX FOR AUDIO DISTRIBUTION



SIMPLE AND INTUITIVE EXPANDABILITY

Connect multiple GM44L units via 3.5 mm stereo jacks to **expand the number of zones** with no need for DSPs or complex digital matrices. A scalable solution for those who want to start small and grow the system over time.

GM44L

4-ZONE ANALOG AUDIO MATRIX FOR AUDIO DISTRIBUTION

PRODUCT DETAILS

KEY FEATURES

Flexible Zone Management: the GM44L allows you to control up to 4 audio zones independently, making it ideal for multi-zone sound distribution in bars, restaurants, hotels, or corporate spaces.

Easy Source Assignment and Mixing: with 4 stereo line inputs with gain control, 4 stereo line outputs with adjustable bass and treble, and an auxiliary input that can be assigned to any zone, you have full control over your sound system's setup.

Priority Emergency Features: the dry contact input allows for muting of all inputs except the priority auxiliary input, ensuring that critical announcements are always audible in emergency situations.

Scalable System Expansion: link multiple GM44L units together to expand the number of audio zones or outputs, making it perfect for growing installations or large-scale projects.

SPECIFICATIONS

Type	4-Zone Analog Matrix
Connections	Input
Controllers	FRONT PANEL 4x Zone Input Selectors 4x Input Signal Monitoring LEDs TOP PANEL 4x Input Gain Trimmers 4x Output Bass Adjustment Trimmers 4x Output Treble Adjustment Trimmers BOTTOM PANEL 4x Aux-In Selection Dip Switch 1x Dry Contact Type Dip Switch (NC/NO)