AXON 3 WH

STUDIO REFERENCE MONITORS (PAIR) - WHITE

Take your sound to the next level with the NUX AXON 3, a **professional-grade ultra-compact studio reference monitor** designed for precision, clarity, and versatility.

Whether you’re mixing, mastering, producing, or streaming, AXON 3 delivers exceptional audio performance in a **portable**, backpack-friendly size.

AXON 3 WH

ddb5b75c-3035-4c8a-9632-4f22b107aa26.jpg

0c897568-cd9e-4398-a095-ac4e937daaa9.jpg

e9fd7995-d792-4314-be30-bab1a

d3f07e52-fb08-4bba-a0f1-e2c45ecca5f0.jpg

85b0c574-5475-4113-80ac-7a85bd90ca39.jpg


e4b9df8e-7f04-41a7-a70e-3c40495

Via Enzo Ferrari 10
62017 Porto Recanati (MC), Italy
info@frenexport.it

AXON 3 WH

STUDIO REFERENCE MONITORS (PAIR) - WHITE

HIGHLIGHTS




90W BI-AMP POWER WITH 3" WOOFERS

Four **Class-D** amplifiers drive each speaker independently for maximum efficiency, delivering **90W RMS** power for a clean, dynamic, and highly detailed sound. Two **3" neodymium woofers** with bass ports reach down to 55Hz, while **two 3/4" silk dome tweeters** provide crisp highs.

FLEXIBLE AUDIO I/O


The AXON 3 offers a wide range of connectivity options, including **USB DAC** for high-quality digital audio input, **Bluetooth** streaming for wireless convenience, **1/4? stereo** inputs for versatile instrument connections, **RCA** for compatibility with vinyl or other audio systems, and **1/8? AUX** for easy integration with mobile devices or external audio sources. Whether you’re working in the studio or on the go, it ensures seamless connection to all your audio sources.



Via Enzo Ferrari 10
62017 Porto Recanati (MC), Italy
info@frenexport.it

AXON 3 WH

STUDIO REFERENCE MONITORS (PAIR) - WHITE




MAGNETIC FOOTPADS & 3/8" MOUNTING SOCKET

The AXON 3 features two **magnetic footpads** with **adjustable tilt** angles of +9° and -5° to direct sound precisely to your ears while minimizing desk vibrations. The bottom also includes a **3/8? female socket** for secure mounting on any microphone or speaker stand, offering flexible placement options.

STUDIO-GRADE PERFORMANCE ANYWHERE

The AXON 3 delivers professional sound in any environment. Its compact size, lightweight design, and **included carrying bag** make it ideal for music production, composing, video editing, live streaming, and more—ensuring exceptional sound quality and precision wherever you go.



Via Enzo Ferrari 10
62017 Porto Recanati (MC), Italy
info@frenexport.it

AXON 3 WH

STUDIO REFERENCE MONITORS (PAIR) - WHITE

PRODUCT DETAILS

KEY FEATURES

- Professional-quality bi-amplified two-way monitor speakers delivering 90W RMS power for balanced performance
- 3-inch neodymium magnet drivers for deep bass and 3/4-inch silk dome tweeters for smooth highs
- Precise, flat, and detailed sound with low-frequency extension down to 55Hz
- Backpack-friendly size with a maximum SPL of 107dB
- Onboard high-resolution digital signal processing for accurate sound
- Comes with AXON STUDIO software and an APP for customizable acoustic correction
- Adjustable magnetic footpads for tilt and enhanced sound precision
- Enables real-time music streaming via Bluetooth connection
- High-dynamic USB AUDIO DAC for premium Hi-Fi audio
- RCA unbalanced stereo inputs for vinyl systems
- Includes 4-pin stereo link cable and power supply
- Padded carry-bag included

SPECIFICATIONS

Type	Bi-amp 2-way powered reference studio monitor
Crossover Frequency	3kHz
Frequency Responses	55Hz-20kHz (-3dB) 45Hz-22kHz (-10dB)
Tweeter	3/4-inch silk dome
Woofer	3-inch neodymium magnet
Enclosure	Specially designed long-guided bass-reflex type
Material	ABS

Via Enzo Ferrari 10
62017 Porto Recanati (MC), Italy
info@frenexport.it

AXON 3 WH

STUDIO REFERENCE MONITORS (PAIR) - WHITE

Max. SPL	107dB
Number of Amps	4
utput Power	Total 45W + 45W LF 30W HF 15W
Input Impedance	10k ohms /-10dBu
Amplifiers Type	Class D
Connectors	2 x 1/4” TS input 2 x RCA unbalanced input 1 x 1/8” stereo AUX input 4-pin speakers connector
Bluetooth	Bluetooth 5.0 Compatible with AVRCP Profile V1.6, A2DP Profile V1.3 and HFP Profile V1.7
USB DAC	48kHz 24bits
Controls	Volume control
Built-in DSP acoustic correction EQ, app/software controlled	
Dimensions	204.5(L) x 9.4(W) x 150(H) mm (Single)
Weight	1.98kg (Pair)

Via Enzo Ferrari 10
62017 Porto Recanati (MC), Italy
info@frenexport.it