

43387

4 PORT USB 3.0 SHARING SWITCH

The Lindy USB 3.0 Sharing Switch 2:4 allows up to 2 users to share up to 4 USB 3.0 peripheral devices without the need to repeatedly swap cables or set up complicated network sharing software. The active computer port can be selected by push button. The switch is ideal for sharing a printer, storage device or webcam in office environments. It also allows to share a conference room presentation system like Barco Clickshare between two users. The USB 3.0 Sharing Switch features a 3.5mm Audio output port for connecting speakers or headphones.

The USB 3.0 Sharing Switch is backwards compatible with USB 2.0 and USB 1.1 devices and supports all USB Type A equipped computers - perfect for use with multiple PCs or Macs. The Sharing Switch features a USB Type C socket for an optional power supply (not included).

Information about USB 3.0, 3.1 & 3.2

USB 3.0, USB 3.1 and USB 3.2 PCs, cables and devices are all compatible with each other, when using either a USB Type A or USB Type C host interface.

USB 3.0, USB 3.1 Gen 1 and USB 3.2 Gen 1 all support data transfer rates up to 5 Gbps.

USB 3.1 Gen 2 and USB 3.2 Gen 2 both support data transfer rates up to 10 Gbps.



43387

4 PORT USB 3.0 SHARING SWITCH

PRODUCT DETAILS

KEY FEATURES

Share four USB 3.0 Super Speed peripherals between 2 computers

Switching between computers with a simple button press

Audio port for speakers or headphones

Plug & Play, no software required

2 year warranty

SPECIFICATIONS

USB Standard	USB 3.2 / 3.1 Gen 1 / USB 3.0
Supported Bandwidth	5 Gbps
Chipset	RTS5411, GPD8104B, AWS3410
Compatibility	USB Type A equipped computers
Special Features	Switching by button; backwards compatible with USB 2.0 / 1.1
Inputs	2 x USB Type A (Female)
Outputs	4 x USB Type A (Female), 3.5mm Audio (out)
Power	USB Type C socket
Dimensions WxDxH	100x50x16.4mm (3.94x1.97x0.65in)
Housing Material	ABS, Aluminium Alloy
Net Weight	0.064kg (0.14lb)
Operating Temperature	0°C - 45°C (32°F - 113°F)
Storage Temperature	-20°C - 60°C (-4°F - 140°F)
Humidity	20 - 60% RH (non-condensing)

43387

4 PORT USB 3.0 SHARING SWITCH

Power Requirements

5V, 1A - 5A

Colour

Black