

GeoTag Compact

COMPACT GPS TRACKER PLUS 1 YEAR OF GPS TRACKING PLATFORM SUBSCRIPTION

Every event, tour, or production comes with risk—lost, misplaced, or stolen equipment can cost your business thousands. **GeoTag** provides real-time tracking, theft alerts, and historical location data to keep your rental assets safe, visible, and recoverable.

GeoTag™ is the professional asset tracking solution by **TAZAAR**, developed for media & entertainment, providing unrivalled tracking in over **170 countries worldwide**.

This self-contained variant with robust housing and attachments for clips or screws is ideal for fixing within crates, flight cases, or directly to high value equipment.

Its **USB-C** power connector and **10-day standby battery** provide flexibility in charging approach.

Each purchase comes with 1 years of coverage and location services via the GeoTag platform, with the option to extend the service at a reduced rate after 1 years.

GeoTag
Tracked by
T A Z A A R



GeoTag Compact

COMPACT GPS TRACKER PLUS 1 YEAR OF GPS TRACKING PLATFORM SUBSCRIPTION



GeoTag Compact

COMPACT GPS TRACKER PLUS 1 YEAR OF GPS TRACKING PLATFORM SUBSCRIPTION

PRODUCT DETAILS

KEY FEATURES

Reduce Equipment Theft & Loss

Real-Time Tracking, even in Remote Locations

GeoFencing & Theft Alerts

Asset Visibility and Management

Discreet & Durable

Professional Asset Tracking for Live Events & Production Equipment

GPS & Cell Tower Tracking

Rechargeable battery with 10+ day standby.

Re-useable and cost- effective

SPECIFICATIONS

GSM, GPRS & LTE modules for data transmission

Global SIM for automatic network acquisition in 170+ countries

GPS & AGPS module for precise location and time capture

Battery Capacity 1800mAh

Battery Unit Load / day 142mAh

Battery cont. Discharge Rate 50c

Battery Burst Rate 100c

Battery Suggested Charge Rate 1c

GeoTag Compact

COMPACT GPS TRACKER PLUS 1 YEAR OF GPS TRACKING PLATFORM SUBSCRIPTION

Runtime at 10-minute intervals	10 days normal use, 5-7days continuous motion
Power Connector	USB-C, 5V DC
GPS Accuracy	<10m outdoor
Working Temperature	-20C to +45C
Working Humidity	20% to 95%
Compliance Certifications	RoHS, CE
Dimensions	86mm x 37mm x 25mm
Weight	63g