GeoTag Case

CASE-INTEGRATED GPS TRACKER PLUS 1 YEAR OF GPS TRACKING PLATFORM SUBSCRIPTION

When valuable equipment leaves your sight — whether it's a flight case, LED cart, or touring rig — traditional asset management can't tell you where it is or what's happening to it. **GeoTag Case** solves that by turning any case into a smart, self-reporting asset.

Permanently mounted inside the case wall and powered via AC, it provides continuous location and motion data, making it impossible to misplace and difficult to tamper with. Ideal for touring systems, LED trailers, and long-term storage gear, GeoTag Case keeps you informed at all times about where your equipment is — and how it's moving.

GeoTag Case

0c965967-0e1a-4895-8750-6918e7cf8ca3.png

fe7da1a7-1934-46d2-b42c-f495e0101346.png

e67fc6cc-da31-437c-b815-e286d

b872aa50-6fbf-420d-a51c-cc435912adff.png

dec2baf2-b778-4a05-864c-2687dca62479.png

91edc1ef-27c4-491b-baf8-6a5d935

Via Enzo Ferrari 10
62017 Porto Recanati (MC), Italy
info@frenexport.it

GeoTag Case

CASE-INTEGRATED GPS TRACKER PLUS 1 YEAR OF GPS TRACKING PLATFORM SUBSCRIPTION

PRODUCT DETAILS

KEY FEATURES

- Case-integrated, sealed, tamper-proof tracking for flight kits, LED trailers, and long-term storage
- Can be powered by AC or USB-C input
- Built-in, continuous tracking
- Rugged enclosure
- Global connectivity

SPECIFICATIONS

Dimensions	199 x 79 x 42mm
Weight	530g
Mount Type	4 screw mounting points
LED Indicators Red = Power, Orange = GSM, Blue = GPS	
Certifications	RoHS, CE, UKCA
Power Input	100V - 260V AC 50-60Hz (using MeanWell PSU)
Battery Type	Lithium Ion
Battery Capacity	16000mAH
Runtime	90 days @10-min intervals
Daily Usage	~142 mAh
Power Adaptor	5V USB-C, Mains 100-260v 50-60Hz
SIM	2G + 4G

Via Enzo Ferrari 10
62017 Porto Recanati (MC), Italy
info@frenexport.it

GeoTag Case

CASE-INTEGRATED GPS TRACKER PLUS 1 YEAR OF GPS TRACKING PLATFORM SUBSCRIPTION

Connectivity	GSM/GPRS & LTE modules with 170+ country global SIM
Location Capture	GPS & A-GPS
GPS Accuracy	<10m (outdoor)
Location Update Intervals	Configurable 1 min – 120 min; motion-sensitive sleep feature
Temperature Range	–20 °C to +45 °C
Humidity Range	20–95 % humidity

Via Enzo Ferrari 10
62017 Porto Recanati (MC), Italy
info@frenexport.it