


0234557100

GODZILLA DISTORTION STOMPBOX 0234557100

Unleash sonic might as legendary as the King of Monsters himself with the Godzilla Distortion. This powerhouse distortion pedal transforms your amp into a fire-breathing beast, capable of everything from thick rhythmic chugging to soaring lead tones that cut through any mix. Active Treble and Bass controls dial in the right balance of gnarl and bite by boosting or cutting frequencies from the saturation, while the Distortion knob dishes out thick tonal destruction from the deep. Featuring exclusive, one-of-a-kind Godzilla wrap-around artwork, this kaiju adorned pedal is as visually striking as it is sonically powerful.



0234557100

GODZILLA DISTORTION STOMPBOX 0234557100

HIGHLIGHTS



HIGH-POWER DISTORTION CIRCUIT

This distortion utilizes op amp architecture for low-noise, heavy-hitting saturation, pumping out powerful gain tones with rich harmonics.

ACTIVE 2-BAND EQ

Active Bass and Treble controls provide up to 15dB of boost or cut for versatile frequency shaping to cover a wide range of tones.



0234557100

GODZILLA DISTORTION STOMPBOX 0234557100

INTERNAL MID CONTROL



The internal mid-range trimmer can boost or cut mid frequencies for fine-tuning the perfect mid-scooped or mid-forward distortion tone.

TRUE BYPASS SWITCHING

True bypass switching ensures that when the pedal is off, your signal is clean and clear.



EXCLUSIVE KAIJU ARTWORK

One-of-kind Godzilla artwork designed specifically for this pedal sets it apart from every other pedal on your board.



0234557100

GODZILLA DISTORTION STOMPBOX 0234557100

RUGGED, ROAD-WORTHY HARDWARE

The rugged aluminum enclosure and metal hardware deliver road-worthy reliability. While the compact enclosure size leaves room for more pedals on your board.



PRODUCT DETAILS

KEY FEATURES

Powerful op amp-based distortion circuit

Active Treble and Bass controls cut or boost frequencies

One-of-a-kind Godzilla wrap-around artwork

Top mounted jacks and road-ready aluminum enclosure

Powered by 9-Volt Battery or Center Negative AC Adaptor, Not Included

SPECIFICATIONS

Inputs	One - 1/4"
Input Impedance	500k ohm
Output Impedance	470 ohm
Power Consumption	80mA
Power Requirements	9-Volt Battery or Center Negative AC Adaptor (Not Included)
Material	Aluminum