

MTR-25-10W-SET

SET OF 4X SLIM 25X10W RGBW BLINDERS WITH FLIGHT CASE

Sounsation MTR-25-10W-4IN1 RGBW combines 4IN1 LED technology and modular mechanical design to provide MTR-25-10W-SET a powerful matrix system and create graphic Pixel-Art effects, to be used as blinders and much more. The set consists of 4 units and a flight case with wheels. The enclosure of each module is equipped with robust and reliable fastening system that allows you to create real LED-walls. The Master/Slave DMX control system allows a maximum of 1, 4 or 16 modules controllable without any software. You just need a DMX controller with an adequate number of channels (see the manual for details). But if you add a PC/DMX interface (not supplied), the potential become enormous, and the limit is established only by the characteristics of the interface and the software used (not supplied). About software, the SOUNDSATION MTR-25-10W-RGBW is compatible with all major packages on the market, such as Emulation Pro Control Software ® by Elation, DMX Eclipse ™ Software by Blizzard Lighting, Sunlite Suite 2 ™ by Nicolaudie, Madrix 3 by Madrix®, and many others.

[f48fe3ab-cfb3-44e1-b7ca-8f3dfa691db9.jpg](#)

[4e293c8a-1e44-4faa-993f-539299e9e9b5.jpg](#)

[5fcc30cb-a667-444c-b63f-05842c02f2](#)

[ced1907f-60f6-4fe9-a110-3c41365722ec.jpg](#)

MTR-25-10W-SET

SET OF 4X SLIM 25X10W RGBW BLINDERS WITH FLIGHT CASE

PRODUCT DETAILS

KEY FEATURES

Light source: 25 x 10W RGBW 4in1 High Brightness LED

Pixel by pixel control, delivering versatile effects

Coupling system cabinet to create structures with more units

Flight case to transport 4 units and store accessories

Control modes: Sound Active, LED Auto Run, DMX Master/slave, ArtNet

DMX Channel Modes: 1CH, 4CH, 5CH, 25CH, 75CH and 100CH

Controllable by external controllers or computers (this requires third party equipment)

Smooth 0-100% dimmer

Versatile Strobe Effects

Flicker Free

LED display interface, easy to control

LED self test: R, G, B, W, RGBW

SPECIFICATIONS

Voltage	AC100-240V 50/60HZ
Power Consumption	300W (1 Unit)
Data In/Out	3-Pin XLR and RJ45
Fuse	F5A, 250V
Unit Size	58 x 58 x 12cm

MTR-25-10W-SET

SET OF 4X SLIM 25X10W RGBW BLINDERS WITH FLIGHT CASE

Unit Weight

13kg