GS2


PASSIVE, COMPACT, HIGH-PERFORMANCE 18" SUBWOOFER

The KGEAR GS2 is an 18 inch subwoofer designed for professional subwoofer and subwoofer professional audio applications requiring extended low-frequency performance and high sound pressure levels in a robust enclosure. Engineered for power and reliability, it is ideal for both indoor and protected outdoor subwoofer installations.

As a passive subwoofer, the GS2 features an 8 ? nominal impedance and 2× SpeakON NL4 connectors, ensuring secure and efficient integration with professional amplification systems. Its omnidirectional design allows flexible placement while maintaining consistent and uniform bass coverage.

GS2

9d681619-f7d3-4c90-9f31-72a8bf6ff66e.webp




3970d51a-4b3c-44e7-8814-1ea

Via Enzo Ferrari 10
62017 Porto Recanati (MC), Italy
info@frenexport.it

GS2

PASSIVE, COMPACT, HIGH-PERFORMANCE 18" SUBWOOFER

HIGHLIGHTS




SEAMLESS INTEGRATION WITH KGEAR SPEAKERS AND AMPLIFIERS

KGEAR GS subwoofers have been designed to complement our satellite speakers and amplifiers, enhancing the low-frequency performance of your existing audio system. These subwoofers work effortlessly with GA43 and GA46 amplifiers, ensuring seamless integration and powerful sound.

EXCEPTIONAL PERFORMANCE AND DURABILITY


Crafted with rugged plywood cabinets and weather-resistant designs, KGEAR GS subwoofers are built to withstand demanding environments and rigorous professional use. Equipped with ferrite magnets and high-quality voice coils, these subwoofers deliver maximum audio clarity and power.



Via Enzo Ferrari 10
62017 Porto Recanati (MC), Italy
info@frenexport.it

GS2

PASSIVE, COMPACT, HIGH-PERFORMANCE 18" SUBWOOFER



EASY INSTALLATION AND CONFIGURATION

KGEAR GS subwoofers are designed for hassle-free integration with built-in low-pass filters and symmetrical load circuit designs, allowing for direct connection to most standard loudspeakers.

Via Enzo Ferrari 10
62017 Porto Recanati (MC), Italy
info@frenexport.it

GS2

PASSIVE, COMPACT, HIGH-PERFORMANCE 18" SUBWOOFER

PRODUCT DETAILS

KEY FEATURES

- Low-end extension for GH loudspeakers
- Stainless steel hardware and accessories for flexible systems mounting and rigging
- Birch plywood sealed cabinet

SPECIFICATIONS

Type	Passive Subwoofer
Transducers	18” ferrite magnet woofer
Frequency Response	34Hz - 150Hz (-6dB)
Max SPL	134 dB
Rated Power	800 W
Coverage	Omni
Connectors	2x SpeakON NL4
Nominal Impedance	8 ?
Dimensions	546 x 610 x 590 mm (21.49 x 24.02 x 23.22 in)
Weight	32,7 kg (72.1 lbs)
Material	Birch Plywood
Finishes	Black

Via Enzo Ferrari 10
62017 Porto Recanati (MC), Italy
info@frenexport.it