

GS2

# PASSIVE, COMPACT, HIGH-PERFORMANCE 18" SUBWOOFER

---

The KGEAR GS2 is an 18 inch subwoofer designed for professional subwoofer and subwoofer professional audio applications requiring extended low-frequency performance and high sound pressure levels in a robust enclosure. Engineered for power and reliability, it is ideal for both indoor and protected outdoor subwoofer installations.

As a passive subwoofer, the GS2 features an 8 Ω nominal impedance and 2x SpeakON NL4 connectors, ensuring secure and efficient integration with professional amplification systems. Its omnidirectional design allows flexible placement while maintaining consistent and uniform bass coverage.



GS2

# PASSIVE, COMPACT, HIGH-PERFORMANCE 18" SUBWOOFER

---

## HIGHLIGHTS

---




### SEAMLESS INTEGRATION WITH KGEAR SPEAKERS AND AMPLIFIERS

KGEAR GS subwoofers have been designed to complement our satellite speakers and amplifiers, enhancing the low-frequency performance of your existing audio system. These subwoofers work effortlessly with GA43 and GA46 amplifiers, ensuring seamless integration and powerful sound.

### EXCEPTIONAL PERFORMANCE AND DURABILITY

Crafted with rugged plywood cabinets and weather-resistant designs, KGEAR GS subwoofers are built to withstand demanding environments and rigorous professional use. Equipped with ferrite magnets and high-quality voice coils, these subwoofers deliver maximum audio clarity and power.



## GS2 PASSIVE, COMPACT, HIGH-PERFORMANCE 18" SUBWOOFER

---



### EASY INSTALLATION AND CONFIGURATION

KGEAR GS subwoofers are designed for hassle-free integration with built-in low-pass filters and symmetrical load circuit designs, allowing for direct connection to most standard loudspeakers.

# GS2

## PASSIVE, COMPACT, HIGH-PERFORMANCE 18" SUBWOOFER

### PRODUCT DETAILS

#### KEY FEATURES

Low-end extension for GH loudspeakers

Stainless steel hardware and accessories for flexible systems mounting and rigging

Birch plywood sealed cabinet

#### SPECIFICATIONS

Type	Passive Subwoofer
Transducers	18" ferrite magnet woofer
Frequency Response	34Hz - 150Hz (-6dB)
Max SPL	134 dB
Rated Power	800 W
Coverage	Omni
Connectors	2x SpeakON NL4
Nominal Impedance	8 ?
Dimensions	546 x 610 x 590 mm (21.49 x 24.02 x 23.22 in)
Weight	32,7 kg (72.1 lbs)
Material	Birch Plywood
Finishes	Black