

KRD202P

PAIR OF FULL-RANGE DESIGN COLUMN LOUDSPEAKERS COMPLETE WITH ACCESSORIES + 4CH X 2500W @4? AMPLIFIER

The Dolomite-KRD202P sets a new benchmark in portable audio systems. This full-range tower speaker combines 32x 2" drivers utilizing Pure Array Technology (PAT) with 4x 10" subwoofers and 4x 10" passive radiators, all split into modular 1-meter sections for easy configuration.

It delivers impressive power in a compact, stylish form. Each module is crafted from stainless steel and wrapped in acoustically transparent fabric, combining durability with an elegant aesthetic. Its modular design offers versatility for both compact and large-scale configurations, adapting seamlessly to any setting. Perfect for luxury private events, hospitality venues, or premium home settings, it perfectly blends performance and sophistication.

Sold as a stereo kit, the system includes 2-meter Dolomite towers per side, a ground-stacking base, and a Kommander KA104LIVE amplifier.

KRD202P

[cfd50853-ce2e-49a1-ab1f-78e1ae77d441.png](#)

[cc36dbbd-ce7e-4197-a5d7-2c17d1d269ca.png](#)

[e7a4f9f8-c067-4817-bab4-d4b1e](#)

[215021ef-4d7d-481a-9ea3-6a1045fcf313.png](#)

[c9d9e347-0325-431a-bba0-1c6a36457884.png](#)

2-Way Speaker IP64

KRD202P

PAIR OF FULL-RANGE DESIGN COLUMN LOUDSPEAKERS COMPLETE WITH ACCESSORIES + 4CH X 2500W @4? AMPLIFIER

HIGHLIGHTS




HIGH-QUALITY CONSTRUCTION

Each module is made from high-quality stainless steel and wrapped in an elegant acoustically transparent fabric that not only enhances sound diffusion but also elevates the product's refinement.


POWERFUL

The system features line array elements each with 16 x 2" woofers, paired with 2 x 10" woofers for deep bass, and enhanced by a passive radiator in every module - with the result of a complete full-range tower speaker. This integration delivers pristine clarity, an extended frequency response, and rich low-end performance, all while utilizing the precision of [Pure Array Technology \(PAT\)](#). The result is an elegant yet robust solution that ensures controlled directivity in high frequencies and an immersive experience in the low frequencies.



KRD202P

PAIR OF FULL-RANGE DESIGN COLUMN LOUDSPEAKERS COMPLETE WITH ACCESSORIES + 4CH X 2500W @4? AMPLIFIER





ONE MODULE, INFINITE POSSIBILITIES

K-array technology reaches new heights with the KDL family. This compact full-range system seamlessly integrates line arrays and subwoofers into a single, perfectly frequency-aligned element, delivering unparalleled audio precision. Hidden within its sleek and sophisticated design are high-quality components, blending elegance with exceptional performance. Tailor-made for exclusive settings, the KDL range embodies refinement and excellence, offering a rich sensory experience for both the eye and the ear.

PURE ARRAY TECHNOLOGY (PAT®)

Composed of closely-spaced, full-range sound sources, the Dolomite System features Pure Array Technology (PAT). With no crossover and no reflex, it shows a perfect phase response both in the near and in the far fields, which makes this column the perfect solution to cover long distances uniformly. The narrow vertical coverage minimizes the sound spill towards the ceiling and the floor, thus increasing the intelligibility in highly reverberant environments.



SUITABLE FOR PREMIUM AND LUXURY APPLICATIONS

Thanks to its high-rated design and slim form factor, the Dolomite family is perfectly suited for a wide range of premium applications, including luxury events, high-end hospitality, and exclusive private spaces - where sound quality is a statement.

KRD202P

PAIR OF FULL-RANGE DESIGN COLUMN
LOUDSPEAKERS COMPLETE WITH ACCESSORIES +
4CH X 2500W @4? AMPLIFIER

PRODUCT DETAILS

KEY FEATURES

Complete bunlde composed of 4x Dolomite section (1m each, 2m total per speaker) + 1x KA104LIVE amplifier + Mounting hardwares (removable handles + solid iron base)

Suitable for different applications and locations as Private Villas, Hospitality venues, Luxury Outdoor Events etc.

IP64 rating

SPECIFICATIONS

Type	Line Array Portable System
Transducers	2x modules with 16x 2" neodymium magnet woofers (MF/HF) + 2x modules with 2x 10" neodymium magnet woofers + 2x 10" passive radiators (LF) System
Frequency Response	41Hz - 18kHz (-6dB, with dedicated preset)
Max SPL	133 dB (peak) Half space
Rated Power (per module)	MF/HF 400W, LF 800W
Coverage	V. 7° H. 120° (array)
Connectors	2x SpeakOn NL4 1+ 1- (MF/HF); 2+ 2- (LF)
Nominal Impedance	8 ? + 8 ? bi-amplified System
Dimensions (per section)	220 x 1000 x 360 mm (8.7 x 39.4 x 14.2 in)
Weight	76 kg (167,55 lbs)
Material	Stainless Steel
IP Rating	IP64 (IP65 compliant with IP65KITB accessory)

KRD202P

PAIR OF FULL-RANGE DESIGN COLUMN LOUDSPEAKERS COMPLETE WITH ACCESSORIES + 4CH X 2500W @4? AMPLIFIER

Finishes

Black cabinet + black fabric