

NAHDMI-W HDMI FEEDTHROUGH ADAPTER - D-SHAPE HOUSING - SILVER

HDMI feedthrough adapter, D-shape housing Neutrik's HDMI solution for the transmission of any digital TV and PC video format including high-definition video (HDTV) can be integrated in networks very easy.

NAHDMI-W

eECybiVXUyunuGk1784300825_17930-VORSCHAUBILD - NAHDMI-W Rear.png

NAHDMI-W

HDMI FEEDTHROUGH ADAPTER - D-SHAPE HOUSING - SILVER

PRODUCT DETAILS

KEY FEATURES

To transmit any digital TV and PC video format including high-definition video (HDTV)

HDMI feedthrough adapter with 19 pole HDMI receptacle at both ends

IP65 ingress protection in mated condition with NKHDMI-* and SCDP-* sealing gasket

Universally accepted standard D-shape housing

Removable screen to chassis grounding

Shielded system - high noise immunity and EMI protection due to continuous 360 degree shield

SPECIFICATIONS

Connection Type	Adapter	
Gender	Female	
Locking device	Push-Pull	
Mounting direction	Front or rear mounting (max 2 mm panel thickness)	
Chassis shape	D	
Lifetime	> 1000 mating cycles	
Contact plating	Au	
Contacts	Bronze (CuSn)	
Shell	Zinc diecast (ZnAl4Cu1)	
Shell plating	Nickel	
Flammability	UL 94 V-0	

NAHDMI-W

HDMI FEEDTHROUGH ADAPTER - D-SHAPE HOUSING - SILVER

Standard compliance

HDMI 2.0

Temperature range

-25 °C to +85 °C