

Nowadays the Amp-less approach is quickly becoming a trend for modern musicians who appreciate a variety of pedals and amps, but don't have the luxury of a roadie crew to lug all of them around.

Amp Academy inherits NUX TSAC-2K (White-box Amp Modeling) algorithm which delivers the sound and feel of **12 world-class tube amplifiers** in a super-portable stomp-box enclosure.















### **HIGHLIGHTS**



### PRO-LEVEL AMP MODELING WITH BIAS TWEAKING

12 legendary amp models: Vintage (Fender Twin Reverb/Super Reverb), Classic (Fender Vibro King/Mr.Z 38), Modern (Cali Crunch/Brit Blues), Brown (Fireman HBE/Brit 800), Red (Dual Rectifier/Slo 100) and Iridium (Uber/Die VH4)

#### THE BEST IR TECHNOLOGY

1024 samples IR resolution with 3rd party IR loader capacity makes you easy to bring your favorite amp sound everywhere.







#### **FX SECTION & MORE**

Compressors, boosts, overdrives, distortions, reverbs + Noise reductor + 6 band Eq.

#### **USB AUDIO STREAM**

For home studio and silent practice, Amp Academy's USB audio stream makes it the Swiss Army Knife of interface capability. Connect the USB to your PC, and you can record tracks, run Plug-In, and even do live-stream with Amp Academy.

In Normal mode, you can choose Loopback to play the playbacks from PC to do live stream. Re-amp: Amp Academy offers 4 tracks for Dry Out and Re-amp recording applications.





#### **DRUM & LOOP FUNCTIONS**

Amp Academy editor offers Drum & Loop function to let you enjoy playing guitar in more places, more often.



#### PRODUCT DETAILS

#### **KEY FEATURES**

12 legendary amp models: Vintage (Fender Twin Reverb/Super Reverb), Classic (Fender Vibro King/Mr.Z 38), Modern (Cali Crunch/Brit Blues), Brown (Fireman HBE/Brit 800), Red (Dual Rectifier/Slo 100) and Iridium (Uber/Die VH4)

7 Independent moveable signal blocks with Send/Return effect loop

1024 samples IR resolution and 3rd party IR loader slot with auto format editor

The A/B footswitch lets you switch from clean amp style to crunch amp style immediately

SCENE footswitch can toggle SCENE1, SCENE2, SCENE3 sequentially, perfect for live needs

Wide FX section (compressors, boosts, overdrives, distortions, reverbs) + Noise reductor + 6 band Eq

USB recording interface, firmware update, AmpAcademy™ editor software

Intuitive operation and editor software

Drum & Loop function (30 sec.)

MIDI through USB port

#### **SPECIFICATIONS**

Sampling rate	48kHz / 32-bit
Power	9V DC (negative tip)
Current draw	<300mA
Dimensions	105x115x58 mm
Weight	440 gr

