

HLV-250


# LED MODULE FOR COMPOSITE SCREENS 2.50MM PITCH

The **Crystal Series** completes the gamma of solutions that Helvia has to offer to the AVL professionals. The need to have a clean video, free from uncomfortable reflections, modular and compact, finds in the LED screens the weapon of choice for contractors and rentals all over the world.

The HLV-250 module is the perfect choice for all those applications that require the best visual intelligibility even at small distances. The Nationstar 2121 LED has become a quality standard for all the professional in the field and grants the reliability and safety that every installation, fixed or not, requires.


The **reduced pitch** and the incredible energetic performances make the HLV-250 a simple and reliable solution.

The **die-cast aluminum frame** reduces the weight of the single module and the **magnetic front inspection** grants access to the system without the need to disassemble the structure, saving both time and money.



HLV-250

## **LED MODULE FOR COMPOSITE SCREENS 2.50MM PITCH**



HLV-250

LED MODULE FOR COMPOSITE SCREENS 2.50MM PITCH

PRODUCT DETAILS

KEY FEATURES

LED Module pitch 2.5mm for indoor use
Sturdy and easy to install
Magnetic Front Access
Aluminum frame

SPECIFICATIONS

Pixel Pitch	2.5mm
LED Type	NAtionstar 2121 3 in 1 RGB
Pixel per cabinet	256 x192
Brightness	600-800 nits/sqm
Module Size	W640mm x H480mm x D58mm
Number of Tiles per Module	2x3
Cabinet Area	0.3sqm
Cabinet Weight	7.5Kg
Recommended viewing distance	>2m
Cabinet Material	Aluminum
Maintenance	Front
Viewing Angle	160°
Color Temperature	2500-10000K

HLV-250

## LED MODULE FOR COMPOSITE SCREENS 2.50MM PITCH

LED Lifetime	>100000 Hrs
Defect Rate	1/10000 pixels
Contrast Ratio	5000:1
Input Power (max)	360W/sqm
Input Power (typical)	120W/sqm