

GC3-RNW

3" CEILING SPEAKER @ 16 OHM IN-WALL ROUND BIANCO

GCF3W is a tiny but performing 3" 2-way full range passive speaker for in-ceiling or in-wall installation.

Thanks to its circular frameless grille design and its extra small format, GCF3W is a very practical and discrete solution for architectural installations that require multi-point sound distribution.

The spring clamps and the magnetic grille allow fast and tool-free installation and its 16 ohm impedance allows multiple speaker connection to KGEAR amplifiers (GA201,GA41/41L or GA43/43L) without any transformer, preserving audio quality. To obtain the best performance and low frequency extension, combine GCF3W with a KGEAR subwoofer (GS6, GCF8S, GWF8S).

Available in black or white colour, the frameless magnetic grille can be painted to match any environment.



GC3-RNW

3" CEILING SPEAKER @ 16 OHM IN-WALL ROUND

BIANCO

PRODUCT DETAILS

KEY FEATURES

Two-way full-range speaker

Circular Protective Magnetic Grill

Frameless Grill Design

Low impedance 16 ohm

Easy ceiling and in-wall installations

Audio I/O Gold plated push terminal

Practical and discrete solution for architectural installations that require multi-point sound distribution

SPECIFICATIONS

Type	Passive Fullrange loudspeaker
Transducers	3" coaxial Woven Glass Fiber woofer with 0,75" Mylar Dome Tweeter
Frequency Response	120Hz-20KHz (-10dB)
Sensibility	90 dB (1w,1mt)
Max.SPL?106 dB (calculated using a signal with crest factor 4 (12dB) measured at 1 mt)	
Coverage	130°
Power Handling	20 Watt
Nominal Impedance	16 Ohm
Dimensions	(Ø outer [Ø inner] x H)
Minimum required mounting Depth	65 mm (2.5 in)

GC3-RNW

3" CEILING SPEAKER @ 16 OHM IN-WALL ROUND BIANCO

Coutour diameter

Ø 100 mm (Ø 4 in)