


GALA-520XW

## 5.25" 2-WAY COAXIAL CEILING SPEAKER

GALA X Series offers powerful and accurate coaxial loudspeakers with woofer diameters ranging from 5,25" to 8", and powers from 20W to 40W RMS. They can be used with standard 70/100V professional amplifiers, and provide transparent and brilliant sound. They are therefore suitable for any application of music distribution at higher volume levels.

The housing of GALA X speakers is made of high quality ABS. They also feature 0.5" Mylar-dome tweeters, polypropylene enforced woofers, and aluminum removable grille, which make these speakers suitable for humid environments.

Installation is very easy, thanks to the quick mounting system with 4 screws. These screws are hidden behind the grill, and offer an elegant and minimalist design. The built-in line transformers allow the use with 70/100V lines, and offer two power taps to better adapt to different speaker arrangement and amplifier powers. They come in white color, but can be painted in any color.



GALA-520XW

5.25" 2-WAY COAXIAL CEILING SPEAKER

PRODUCT DETAILS

KEY FEATURES

|                                     |
|-------------------------------------|
| 2-Way Coaxial Loudspeaker           |
| Suitable for Humid Environments     |
| 5.25" (135 mm) Woofer               |
| 20W RMS Power                       |
| High Excursion Polypropylene Woofer |
| Mylar-dome Precision Tweeter        |
| Built-in 70/100V Line Transformer   |
| Quick Mounting System               |
| Paintable Grille and Frame          |

SPECIFICATIONS

|                            |                         |
|----------------------------|-------------------------|
| Speaker Type               | 2-Way Passive, Coaxial  |
| Line Voltage               | 70V/100V                |
| Line Transformer           | Built-in, 2 power taps  |
| 100V Power                 | 10W/20W                 |
| 70V Power                  | 5W/10W                  |
| Frequency Response (-10dB) | 80Hz-18.5kHz            |
| Sensitivity (1w/1m)        | 87dB                    |
| Woofer                     | 5.25" (135mm), PP cone  |
| Tweeter                    | 0.5" (13mm), Mylar dome |
| Housing                    | PP, paintable           |

GALA-520XW

## 5.25" 2-WAY COAXIAL CEILING SPEAKER

|                             |   |  |
|-----------------------------|---|--|
| IP Rate (speaker installed) | IP54  |  |
| Mounting                    | Quick mounting system with 4 screws                               |  |
| Grille                      | Perforated steel with acoustic transparent foam inside, paintable |  |
| Color                       | White   |  |
| Cutout Size                 | Ø 172 mm  |  |
| Product Size (WxDxH)        | Ø 203 x 90 mm   |  |
| Speaker Weight              | 1.0 kg  |  |
| Packing Size (WxDxH)        | 205 x 95 x 205 mm   |  |
| Packing Weight              | 1,1 kg  |  |