

KZ14 I

4X0.5" ULTRA-MINIATURE LINE ARRAY SOURCE 16 OHM SPEAKER (BLACK COLOR)

KZ14 I

The **Lyzard-KZ14 I** is an ultra-miniature line array speaker belonging to the smallest mid-high range in the K-array portfolio. Its new design features a compact, milled aluminum enclosure with **4 × 0.5" long-excursion neodymium magnet transducers** that ensure uncompromising audio performance with minimal residual noise. It is the ideal audio solution, especially when the speaker needs to remain hidden within the surrounding environment or décor.

With a horizontal coverage of **140°**, a vertical coverage of **40°**, and a frequency response ranging from **500 Hz to 18 kHz**, the **KZ14 I** delivers clear audio reproduction and excellent intelligibility. Its peak SPL of **98 dB** is impressive for a speaker of such a compact size.

It is the perfect product for integrating audio into retail spaces, small lounges and bars, residential environments, hotels, and museums, leaving both your eyes and ears satisfied thanks to its unique and sleek design.

All Lyzard loudspeakers can be customized with any **RAL** color or finished in a variety of premium metallic finishes to further enhance their distinctive aesthetics. Furthermore, to meet specific design requirements, dedicated versions suitable for recessed installation are also available.

*For a complete audio system, the Lyzards must be combined with one or more Truffle or Rumble subwoofers, powered by a Kommander KA amplifier.

02dad4bc-f684-4126-90be-d118d546bc46.webp

ee7af570-26b4-420f-ba5c-04d51e04b788.webp

a04763f2-ef51-44ed-8ad8-8b0

IP64

KZ14 I

4X0.5" ULTRA-MINIATURE LINE ARRAY SOURCE 16 OHM SPEAKER (BLACK COLOR)

HIGHLIGHTS




DESIGN AND SOUND IN HARMONY

Introducing the **Mark I Lyzard** micro-loudspeaker range, where premium audio meets stunning design. Featuring an ultra-sleek, minimalist body crafted from precision-milled aluminum, Lyzard is the perfect choice for discreet installations in intimate environments. With two different lengths and exceptional mid-high-range performance, Lyzard offers a superior sound experience with minimal visual impact.

MAXIMUM DISCRETION

With its size of a chocolate bar, Lyzard speaker blend easily into modern or classic architecture without compromising the aesthetics or the sound, as the design integrates naturally into any decor.



KZ14 I

4X0.5" ULTRA-MINIATURE LINE ARRAY SOURCE 16 OHM SPEAKER (BLACK COLOR)



RECESS YOUR SOUND INTO PLASTERBOARD WALLS AND SUSPENDED CEILINGS

For applications where the loudspeakers have to completely disappear, the new **KZ1R I** and **KZ14R I** models allow you to completely recess the body of the speaker into surfaces like plasterboard walls and suspended ceilings.

PURE ARRAY TECHNOLOGY (PAT®)

This technology enables **direct, intelligible and controlled sound**, even in reverberant or complex environments, **without the need for large spaces or bulky loudspeakers**.



EASIER INSTALLATION WITH THE MAGNET GRILL

The magnetic grille ensures quick and effortless surface installation.

KZ14 I

4X0.5" ULTRA-MINIATURE LINE ARRAY SOURCE 16 OHM SPEAKER (BLACK COLOR)


CUSTOM COLORS AND PREMIUM FINISHES AVAILABLE UPON REQUEST

The Lizard series is offered in a semi-matte **black** or an elegant **white** finish and can be customized to match any **RAL** code.

Premium **brushed** or **polished** stainless steel finishes give the products a chameleon-like ability to reflect surrounding surfaces and blend in with the background.

Also available in **24K gold**-plated aluminum and Rose Gold for the most luxurious finish - ideal for prestigious design projects and upscale applications.

Lizards loudspeakers are manufactured to achieve exacting standards and are subject to rigorous quality control system in Italy.



KZ14 I

4X0.5" ULTRA-MINIATURE LINE ARRAY SOURCE 16 OHM SPEAKER (BLACK COLOR)

PRODUCT DETAILS

KEY FEATURES

500 Hz-18kHz high bright frequency response

Euroblock connector incorporated

140° H. / 40° V. coverage

98 dB SPL (peak)

Pocket size, discreet, resistant and durable

SPECIFICATIONS

Type	Passive Line Array
Transducers	4x0.5" Neodymium Magnet Woofer
Frequency Response	500 Hz - 18 kHz (-6 dB, with dedicated preset)
Max SPL	98 dB (peak, calculated using a signal with crest factor 4 [12dB] measured at 8 m then scaled at 1 m.)
Coverage	V. 40° H. 140°
Nominal Impedance	16 ?
Power Handling	15 W
Connectors	IN+ / IN- screw terminals
IP Rating	IP64
Dimensions (WxHxD)	22 x 100 x 11 mm (0.9 x 3.9 x 0,4 in.)
Weight	0.059 kg (0.130 lbs.)

KZ14 I

4X0.5" ULTRA-MINIATURE LINE ARRAY SOURCE 16 OHM SPEAKER (BLACK COLOR)

Material	Aluminum
Standard Colors	Black / White
Custom colors	Available in any RAL color
Premium Metal Finishes	Available in 24K Gold / Antique Gold / Rose Gold / Polished or Brushed Steel
Marine-grade Treatment	Not Available