

KF26

2X6"+2" FULL RANGE PASSIVE POINT SOURCE SPEAKER WITH SELECTABLE IMPEDANCE (BLACK COLOR)

The **Domino-KF26** is a compact **full-range point source loudspeaker** designed for refined audio installations where **clarity**, **power**, and **architectural integration** must coexist seamlessly. Its **stainless steel enclosure** combines durability with an elegant, discreet profile suitable for both indoor and outdoor environments. It delivers a rich **50 Hz – 19 kHz** frequency response with impressive low-frequency extension for its size, ensuring uniform sound distribution in **multi-zone systems** thanks to its **90° × 90°** coverage. KF26

All Domino loudspeakers can be customized with any RAL color or finished in a variety of premium metallic finishes to further enhance their distinctive aesthetics. Furthermore, to meet specific design and installation requirements, dedicated solutions with IP65 marine-grade protection and versions suitable for recessed installation are offered.

For this model, a **cinema-oriented variant** is also available, offering **wider 140° × 140° dispersion** for immersive home cinema and media room installations.

[edc78442-e975-40bb-8863-2a5385cd138a.webp](#)

[f2a98d70-314c-46f9-869e-410fee7fe92e.webp](#)

[41449ff4-e351-4699-af4f-d83d](#)

IP64

KF26

2X6"+2" FULL RANGE PASSIVE POINT SOURCE SPEAKER WITH SELECTABLE IMPEDANCE (BLACK COLOR)

HIGHLIGHTS



COMPACT FULL-RANGE SOLUTION

Stainless steel speakers with plug and play capabilities that don't require presets and can be driven by any amplifier, perfect for applications with subwoofer restrictions.


COMPATIBLE WITH ANY AMPLIFIER

Featuring an onboard passive filter that automatically adjusts the frequency response and phase response of the speaker, any professional amplifier can be used to drive these speakers.



KF26

2X6"+2" FULL RANGE PASSIVE POINT SOURCE SPEAKER WITH SELECTABLE IMPEDANCE (BLACK COLOR)



CUSTOM COLORS AND PREMIUM FINISHES AVAILABLE UPON REQUEST

The Domino series is offered in a semi-matte **black** or an elegant **white** finish and can be customized to match any **RAL** code.

Premium **brushed** or **polished** stainless steel finishes give the products a chameleon-like ability to reflect surrounding surfaces and blend in with the background.

Also available in **24K gold**-plated for the most luxurious finish - ideal for prestigious design projects and upscale applications.

Domino loudspeakers are manufactured to achieve exacting standards and are subject to rigorous quality control system in Italy.

KF26

2X6"+2" FULL RANGE PASSIVE POINT SOURCE SPEAKER WITH SELECTABLE IMPEDANCE (BLACK COLOR)

PRODUCT DETAILS

KEY FEATURES

- Impressive diminutive depth and lightweight form
- Compatible with any amplifier without dedicated presets
- Selectable impedance
- Wide horizontal and vertical coverage
- Dedicated accessories for wall-mounting included
- Suitable for home cinema applications thanks to high SPL and fixed 8? impedance (Domino-KFC26 model)

SPECIFICATIONS

Type	Full Range Point Source
Transducers	1x 6" neodymium magnet woofer + 1x 2" neodymium magnet woofer + 1x 6" passive radiator
Frequency Response	50 Hz - 19 kHz (-6 dB, with dedicated preset)
Max SPL	115 dB (peak, calculated using a signal with crest factor 4 [12dB] measured at 8 m then scaled at 1 m.)
Coverage	V. 90° H. 90°
Nominal Impedance	selectable 8 ? / 32 ?
Power Handling	160 W
Connectors	4-pin Euroblock
IP Rating	IP64 (IP65 Rating with dedicated accessories)
Dimensions (WxHxD)	180 x 350 x 118 mm (7.1 x 13.8 x 4.6 in.)

KF26

2X6"+2" FULL RANGE PASSIVE POINT SOURCE SPEAKER WITH SELECTABLE IMPEDANCE (BLACK COLOR)

Weight	6,5 kg (14.3 lbs.)
Material	Stainless Steel
Standard Colors	Black / White
Custom colors	Available in any RAL color
Premium Metal Finishes	Available in 24K Gold / Polished or Brushed Steel
Marine-grade Treatment	Available cataphoresis treatment applied by electroplating for total coating against chemical and environmental corrosion