

KU315

3X15" PASSIVE SUBWOOFER, 2000 W, 4 ? (BLACK COLOR)

The Rumble-KU315 is a passive subwoofer designed to deliver exceptional powerful and extended low-frequency performance in professional audio systems where impact, reliability, and control are essential.

The polyurea-coated birch plywood enclosure combines structural strength, durability, and a slim line-array-inspired form factor housing a 15" neodymium magnet woofer paired with two 15" passive radiators that deliver extended bass performance with a 35 Hz – 150 Hz (-6 dB) frequency response and up to 138 dB peak SPL. Dedicated presets, loaded on board K-array amplifiers, guarantee optimal performance and system protection, making the KU315 a reliable foundation for large-scale sound reinforcement and installation-driven projects.

KU315 comes in standard Black or White and can be customized with any RAL color.

KU315

f7ee896c-060d-46ff-9900-33c274acd254.webp

1666387c-a518-4e1d-acda-0bc3fca982a0.webp

67bc1c52-c019-40d1-8871-eecc

IP65

KU315

3X15" PASSIVE SUBWOOFER, 2000 W, 4 ? (BLACK COLOR)

HIGHLIGHTS



EXTREMELY COMPACT SUBWOOFERS

Ultra-compact, yet powerful bass system engineered for maximum linear excursion and minimum residual noise that boast extended low-frequency response, Rumble was made to fit elegantly into any application.

MAXIMUM DISCRETION AND AUDIO QUALITY

Engineered to hide from sight without compromising on high-quality audio performance.



KU315

3X15" PASSIVE SUBWOOFER, 2000 W, 4 ? (BLACK COLOR)




INVISIBLE FULL-RANGE APPLICATION

The Rumble line is the perfect companion to the Lyzard, Vyper, Tornado and Anakonda speakers: the combination provides full-range frequency response with exceptional output and a virtually invisible profile.

EXTREMELY RESISTANT

The subs are made entirely of **steel**, making them extremely resistant, even when deployed outside in tough weather conditions. This is ideal for water-front environments where ordinary bass speakers would corrode. They are impenetrable by foreign objects and agents like dust, sand or water, which can damage an ordinary audio element over time



KU315

3X15" PASSIVE SUBWOOFER, 2000 W, 4 ? (BLACK COLOR)



CUSTOM COLORS AND PREMIUM FINISHES AVAILABLE UPON REQUEST

The Rumble series is offered in a semi-matte **black** or an elegant **white** finish and can be customized to match any **RAL** code.

Premium **brushed** or **polished** stainless steel finishes give the products a chameleon-like ability to reflect surrounding surfaces and blend in with the background.

Also available in **24K gold**-plated aluminum and Rose Gold for the most luxurious finish - ideal for prestigious design projects and upscale applications.

Rumble subwoofers are manufactured to achieve exacting standards and are subject to rigorous quality control system in Italy.

KU315
3X15" PASSIVE SUBWOOFER, 2000 W, 4 ? (BLACK
COLOR)

PRODUCT DETAILS

KEY FEATURES

35 Hz - 150 Hz frequency response
4 ? Impedance
Slim line-array-inspired form factor
138 dB SPL (peak)
IP65 Rated

SPECIFICATIONS

Type	Passive Subwoofer
Transducers	1x 15" Neodymium Magnet Woofer + 2x 15" passive radiator
Frequency Response	35 Hz - 150 Hz (-6 dB, with dedicated preset)
Max SPL	138 dB (peak, calculated using a signal with crest factor 4 [12dB] measured at 8 m then scaled at 1 m.)
Coverage	Omni
Nominal Impedance	4 ?
Power Handling	2000 W
Connectors	SpeakON NL4 (1+ / 1- signal; 2+ / 2- not connected)
IP Rating	IP65
Dimensions (WxHxD)	1230 x 450 x 250 mm (48.4 x 17.7 x 9.8 in.)
Weight	40 kg (88.18 lbs.)

KU315 3X15" PASSIVE SUBWOOFER, 2000 W, 4 ? (BLACK COLOR)

Material	Polyurea coated birch plywood
Standard Colors	Black / White
Custom colors	Available in any RAL color
Premium Metal Finishes	Not Available
Marine-grade Treatment	Available cataphoresis treatment applied by electroplating for total coating against chemical and einvironmental corrosion