

KTR25

1X5.25" ULTRA-COMPACT PASSIVE ALUMINUM ALLOY SUBWOOFER, 4 ? (BLACK COLOR)

The Truffle-KTR25 is the middle-size model in the compact line of Truffle subwoofers, designed to deliver accurate and controlled low-frequency performance in home audio systems, audio systems for hotels, sound systems for restaurants, and other professional subwoofer applications where space, aesthetics, and sound quality must coexist seamlessly.

It combines lightweight construction, durability, and a minimalist aesthetic, featuring a 5.25" woofer paired with a 5.25" passive radiator delivering 45 Hz – 150 / 500 Hz (-6 dB) frequency response and up to 115 dB peak SPL.

A dedicated preset, loaded on board K-array amplifiers, ensures optimal performance and reliable operation in home subwoofer and installation-focused applications.

KTR25

70d0c4b9-bd97-4eca-bdf6-83711a0a8590.webp

7778868d-2ac8-4f56-a8b4-258e8d1a2e22.webp

IP64

KTR25

1X5.25" ULTRA-COMPACT PASSIVE ALUMINUM ALLOY SUBWOOFER, 4 ? (BLACK COLOR)

HIGHLIGHTS



EXTREMELY COMPACT ALUMINUM ALLOY SUBWOOFERS

An impressively small low-end source designed to remain hidden from view and easily concealable.

HIDDEN BUT POWERFUL

Because of longer wavelengths, low-end frequencies are able to pass through most obstacles which is precisely why the Truffle was designed to remain hidden from view.



KTR25

1X5.25" ULTRA-COMPACT PASSIVE ALUMINUM ALLOY SUBWOOFER, 4 ? (BLACK COLOR)

PRODUCT DETAILS

KEY FEATURES

- Crafted from aluminum alloy
- Lightweight, durable and minimalist aesthetic
- 4 ? nominal impedance
- 45 Hz - 150 / 500 Hz frequency response
- IP64 Rated

SPECIFICATIONS

Type	Passive Subwoofer
Transducers	1x 5.25" Woofer + 1x 5.25" passive radiator
Frequency Response	45 Hz - 150 / 500 Hz (-6 dB, with dedicated preset)
Max SPL	115 dB
Coverage	Omni
Nominal Impedance	4 ?
Power Handling	80 W
Connectors	2-pin Euroblock
IP Rating	IP64
Dimensions (WxHxD)	152 x 147 x 258 mm (6 x 5.8 x 10.2 in.)
Weight	2.5 kg (5.51 lbs.)
Material	Aluminum

KTR25

1X5.25" ULTRA-COMPACT PASSIVE ALUMINUM ALLOY SUBWOOFER, 4 ? (BLACK COLOR)

Standard Colors	Black
Custom colors	Not Available
Premium Metal Finishes	Not Available
Marine-grade Treatment	Not Available