

KXT18P

BI-AMP 18"+4"+2.5" TRIAXIAL FULL RANGE POINT SOURCE PASSIVE SPEAKER WITH ROTATABLE HORN (BLACK COLOR)

KXT18P

The Dragon-KXT18P loudspeakers are among the largest-format tri-axial point source systems in the K-array Dragon portfolio, designed for high-demand live sound and club applications where premium output, precise control, and powerful low-frequency performance must complement the installation environment without compromise.

Built with tri-axial architecture, the Dragon-KXT18P combines strength, precision, and controlled directivity in a robust birch plywood enclosure. It features an 18" neodymium woofer, a 4" mid-frequency compression driver, and a 2.5" high-frequency compression driver, delivering a 48 Hz – 18 kHz frequency response with up to 144 dB peak SPL, providing impactful, detailed sound in a compact footprint for its size.

For full-range performance, the Dragon-KXT18P can be used as a standalone speaker, stacked, or configured in vertical or horizontal clusters with dedicated accessories for extended coverage in medium to large venues.

[2d68bef0-77b2-4ad9-bc7d-0a757f2ed2db.webp](#)

[b7fdec6a-b547-47cc-8f10-2afdde9b4dfb.webp](#)

[2a7b0c74-7d37-4f31-98c1-8348](#)

Triaxial Woofer 3-Way Speaker

KXT18P

BI-AMP 18"+4"+2.5" TRIAXIAL FULL RANGE POINT SOURCE PASSIVE SPEAKER WITH ROTATABLE HORN (BLACK COLOR)

HIGHLIGHTS



NEW GENERATION OF POWERFUL POINT SOURCE ELEMENTS

The Dragon family represents a powerful and compact range of point source systems featuring coaxial, triaxial and Spixel technology, combining exceptional performance with an iconic design. Engineered for sophisticated installations, these systems deliver high pressure in the near field with rapid sound attenuation over distance, making them versatile tools for installers in premium venues and refined club environments.


KXT: TRIAXIAL DESIGN

Featuring an advanced triaxial configuration with an additional midrange driver aligned on a single acoustic axis, the Dragon-KXT12P and KXT18P deliver true point-source performance with a minimal footprint. This innovative design eliminates phase interference to guarantee a focused, uniform sound field and exceptional vocal clarity even at high SPLs. The result is a clean, controlled sonic signature, making it the perfect solution for environments demanding high-definition audio and seamless architectural integration without compromising on power.



KXT18P

BI-AMP 18"+4"+2.5" TRIAXIAL FULL RANGE POINT SOURCE PASSIVE SPEAKER WITH ROTATABLE HORN (BLACK COLOR)



PRECISE AND FLEXIBLE COVERAGE

They feature a rotatable horn with fixed coverage of $60^{\circ} \times 40^{\circ}$. The enclosure design is specifically engineered to enable tight horizontal and vertical clustering. The shape and waveguide contribute to smooth acoustic coupling between units, ensuring uniform sound dispersion and consistent coverage, especially in the near field.


KX12 I & KX2: COMPACT FORM & EBS CONTROL

KX12 I and KX2 are a compact point source systems with optimized directivity, designed for standalone use or array configurations. When used in arrays, they support EBS (Electronic Beam Steering) technology, enabling precise electronic control of dispersion. Each unit contributes to a focused, coherent coverage, minimizing reflections and ensuring consistent SPL across the listening area. This makes the KX2 ideal for applications requiring high intelligibility, accurate coverage, and clean integration. KX12 I is perfect for high SPL applications.



KXT18P

BI-AMP 18"+4"+2.5" TRIAXIAL FULL RANGE POINT SOURCE PASSIVE SPEAKER WITH ROTATABLE HORN (BLACK COLOR)





DRAGON-KX2: SPIXEL TECHNOLOGY

Based on an innovative full-range trasducer of 2" and engineered to deliver exceptional efficiency, remarkable low-frequency extension and impressive SPL performance. KX2 is designed for scalable array configurations and ensures precise directivity in an extremely compact format.

FLEXIBLE SOUND FOR EVERY SETUP

Flexible Sound for Every Setup The Dragon family of point source speakers excels in high-intensity applications, from DJ monitoring in exclusive venues to versatile near field configurations for clubs, theaters, live events and diverse applications where power and precision meets elegance.



UNIQUE STYLE OF THE DRAGON

The horn features a distinctive silver finish that sets the installation apart. With the option to cover it by a mesh grille or to leave it exposed, the design remains elegantly transparent, adding a touch of sophistication to any settings. The horn is also available in black or custom finishes, and the entire enclosure can be customized in any RAL color to suit your style.

KXT18P

BI-AMP 18"+4"+2.5" TRIAXIAL FULL RANGE POINT SOURCE PASSIVE SPEAKER WITH ROTATABLE HORN (BLACK COLOR)

PRODUCT DETAILS

KEY FEATURES

Tri-axial 18" neodymium magnet woofer + 4" compression driver (MF) + 2.5" compression driver (HF)

Full-range and Natural preset

Rotatable horn with screws for variable coverage

Dedicated hardwares for rigging and mounting

Horizontal and vertical array configurations

Birch Plywood cabinet

Removable mesh grille

IP43 rating

SPECIFICATIONS

Type	Passive Point Source
Transducers	Tri-axial 18" neodymium magnet woofer + 4" compression driver (MF) + 2.5" compression driver (HF)
Frequency Response	48 Hz - 18 kHz (-6dB, with dedicated preset)
Max SPL	144 dB Half Space (peak, calculated using a signal with crest factor 4 [12dB] measured at 8 m then scaled at 1 m.)
Coverage	V. 40° - H. 60° (Rotatable with screws)
Nominal Impedance	4 ? (LF) + 8 ? (MHF)
Power Handling	1600 W (LF) + 380 W (MHF) bi-amplified
Connectors	2x SpeakOn NL4 1+ 1- (MHF, signal); 2+ 2- (LF)

KXT18P

BI-AMP 18"+4"+2.5" TRIAXIAL FULL RANGE POINT SOURCE PASSIVE SPEAKER WITH ROTATABLE HORN (BLACK COLOR)

IP Rating	IP43
Dimensions (WxHxD)	650 x 735 x 580 mm (25.6 x 28.9 x 22.8 in.)
Weight	40,8 kg (89.84 lbs.)
Material	Birch Plywood
Standard Colors	Black
Custom colors	Available in any RAL color
Premium Metal Finishes	Chrome Metal Finish (Horn) available
Marine-grade Treatment	Not Available