

MYGHTY BASS 50BT is a **50 Watt class D** compact and light **modeling bass amp** with 6.5" loud speaker spotting a lot of smart functions such as **Gate, Amp Modeling, IR, Modulation EFX and Reverb.** 

The combo is empowered with built in **Drum machine** and **Looper**, **Bluetooth Audio Stream**, USB for direct recording and **Dl-out** for connecting to PA systems. And with the **Mighty App**, you can unlock tones of new amps, IR and effects for free.

A great choice for rehearsing, practicing, recording and even live performing when you need a powerful machine in a compact, portable and light package!













### **HIGHLIGHTS**



### 3 AMP MODELS BASED ON NUX'S TSAC MODELING TECHNOLOGY

Choose among AGL, BASSGUY, MLD. And you can have much more for free using the Mighty App!

### COMPLETE FX SECTION + LATEST IR TECHNOLOGY

15 FXs (EFx, Modulation, Reverb), 8 Cabinet IRs + 8 empty slots for third party IRs







## DI OUT FOR BALANCED SIGNAL TO INTERFACE OR PA SYSTEM + USB REC OUT

Easily connect to PA systems via balanced signal and record via LISB

#### **BUILT IN LOOPER AND DRUM MACHINE**

Create your loops in easy and intuitive way (Up to 60 seconds).



#### NMP-2 DUAL FOOTSWITCH





Add even more flexibility when looping and using drum machine with dedicated NUX NMP-2 Dual Footswitch (included).



#### **MIGHTY APP AND MIGHTY SOFTWARE**

Tweak, edit, store and get more with Mighty App (mobile) or Mighty Software (computer)







### PRODUCT DETAILS

#### **KEY FEATURES**

3 Amp models (Mld, Agl, Bassguy) based on TSAC technology

EFX: K Comp, Rose Comp, Touch Wah, Uni Vibe, Phase 100, RC Boost, TScream, Muff.

Modulation: ST Chorus, Flanger, Phase 100

Reverb: Room, Hall, Plate, Spring

Built in Drum Machine & Looper (60s Phrase Loop)

Cab IR: AGL DB810, AMP SV212, AMP SV410 w/ Tweeter, AMP SV810, Bassguy 410, Eden 410, MKB 410, TRC 410 + 8 empty slots for 3rd party loading

Jam along your favourite tracks via Bluetooth Audio stream

Smart USB port for direct recording, updating firmware, editing software

DI Out for balanced signal to interface or PA system

IR toggle switch engages Cabinet Impulse Response signal by the independent control

Footswitch NMP-2 Lite (not included) allows adavcend controls

Headphone Out, Aux-in

Controller App/Software to unlock more more amps, IR and effetcs for free

#### **SPECIFICATIONS**

Rated Power	50 W RMS
Woofer	6.5", 4 ohm, 60W, FRFR
Power supply	DC28V, 4A (center negative)
Dimensions	300x225x326 mm
Weight	7.2 kg

