XTALK XMAX 1

# (1X UNIT, DUAL-EAR) 2-WAY INTERCOM HEADSET SYSTEM, 500M TRANSMISSION RANGE, AI NOISE-CANCELLATION AND BLUETOOTH CONNECTION

SYNCO Xtalk XMax group communication headsets, the next-level communication system to the Xtalk XPro, adopt a dual-ear design to isolate external noises effectively. Equipped with an AI noise-cancellation chip and dual-microphone noise reduction algorithm, it guarantees smooth and clear 500m-range communication for teams. Its unique one-click Signal Boost enhances signal transmission distance and penetration. Additionally, the Xtalk XMax features Bluetooth connectivity, allowing for wireless connection to mobile phones for calls and music playback. The indicator lights help users quickly identify headset settings and group relationships, enhancing on-site scheduling efficiency.

*The package includes:

1. -1x Headset
2. -1x Mic Windshield
3. -2x One-ear Foam Cushions
4. -1x Rechargeable Battery
5. -1x Carrying Bag
6. -1x Charging Cable
7. -1x Warranty Card

XTALK XMAX 1

5.png

4.webp

3.webp

2.webp

USB Type-C Bluetooth Wireless Control Battery Powered

Via Enzo Ferrari 10
62017 Porto Recanati (MC), Italy
info@frenexport.it

XTALK XMAX 1

# (1X UNIT, DUAL-EAR) 2-WAY INTERCOM HEADSET SYSTEM, 500M TRANSMISSION RANGE, AI NOISE-CANCELLATION AND BLUETOOTH CONNECTION

## PRODUCT DETAILS

### KEY FEATURES

- Sound Isolation Perfected with Dual-ear Design
- 500m Transmission Range for Large-scale Event Communication
- Group Communication Headsets with Dual-mic AI Noise Cancellation
- Bluetooth Connection for Calls and Music Enjoyment
- Wide Range of Using Scenarios
- Unlimited Connectivity, Flexible Communication, and Clear Dispatch
- Supercharge the Signal with One-press Boost Mode
- Headsets for Group Communication with 3.5mm Monitoring Port
- Mute All Remotes for Clear Instructions with the Dominant Mode
- User-friendly Updating and One-click Pairing on SYNCO EasyGo

### SPECIFICATIONS

| | |
|---|---|
| **Wireless Technology** | Digital 2.4GHz |
| **Transmission Mode** | Full-Duplex |
| **Operating Range** | 500m (LOS) |
| **Frequency Band** | 2.4GHz |
| **Approximate RF Sensitivity** | <-90dBm |
| **Radio Output Frequency** | 20dBm |
| **Power** | USB-C 5V |

Via Enzo Ferrari 10
62017 Porto Recanati (MC), Italy
info@frenexport.it

XTALK XMAX 1

# (1X UNIT, DUAL-EAR) 2-WAY INTERCOM HEADSET SYSTEM, 500M TRANSMISSION RANGE, AI NOISE-CANCELLATION AND BLUETOOTH CONNECTION

| | |
|---|---|
| **Battery Capacity** | 1050mAh Li-ion Battery |
| **Working** | Time 24H |
| **Charging Time** | About 2.5H |
| **Frequency Response** | 150Hz~7KHz |
| **Signal-To-Noise Ratio** | ? 65dB |
| **Distortion** | <1 % |
| **Microphone Type** | Condenser Microphone |
| **Max Input Sound Pressure Level** | >115dBSPL |
| **Output Sound Pressure Level** | Typical 98+3dBSPL (at 94dBSPL 1KHz) |
| **Weight** | About 242g (Battery Included) |
| **Temperature Range** | 0~+45° C (Working Status); -20~+60° C (Storage Condition) |

Via Enzo Ferrari 10
62017 Porto Recanati (MC), Italy
info@frenexport.it