CYC8v2-R

8” PASSIVE 2-WAY COAX COMPACT LOUDSPEAKER IN COMPOSITE FIBREGLASS RED

CYC8v2-R

The Void Acoustics Cyclone 8 V2 introduces a new coaxial compression driver to the Cyclone Series, delivering high-performance audio in a compact, lightweight enclosure. At nearly half the size of the original Cyclone 8 V1, it offers effortless handling and installation while featuring refined Cyclone Series styling for a sleek, cohesive look across the entire range.

Engineered for both indoor and outdoor environments, the Cyclone 8 V2 boasts an IP-55 weather-resistance rating, a corrosion-resistant ABS driver basket, a hydrophobic membrane, and marine-grade stainless steel fixings for long-lasting outdoor durability.

Built to streamline the installation process, it incorporates T80-style mounting points compatible with a wide selection of brackets and accessories, giving integrators maximum flexibility across diverse applications.

Available as standard in **red with a black grille**, **black with a black grille**, and **white with a white grille**, with custom **RAL** and **KROME** finishes available upon request.


Cyclone-8-V2-Back-VA28.png


3-red.png


2-red.png


4-red.png

2-Way Speaker Coaxial Speaker

Via Enzo Ferrari 10
62017 Porto Recanati (MC), Italy
info@frenexport.it

CYC8v2-R

8” PASSIVE 2-WAY COAX COMPACT LOUDSPEAKER IN COMPOSITE FIBREGLASS RED

HIGHLIGHTS



HIGH WEATHER RESISTANCE IN A UNIQUE, COMPACT DESIGN

The low-resonance fibreglass composite enclosure, IP-55 rating, and UV-resilient finish ensure reliability in both indoor and outdoor environments. The hydrophobic membrane, corrosion-resistant ABS driver basket, weather-treated diaphragm, and stainless steel grilles and fixings offer added protection against moisture and corrosion.

MORE PERFORMANCE, LESS FOOTPRINT

Compared to the original Cyclone 8, the new V2 introduces a redesigned coaxial compression driver, higher sensitivity (96 dB vs. 94 dB), and wider dispersion (100° × 100° vs. 90° × 90°). The result is broader, more efficient sound coverage housed in an enclosure almost half the volume, with weight reduced from 14 kg to 9.7 kg.



Via Enzo Ferrari 10
62017 Porto Recanati (MC), Italy
info@frenexport.it

CYC8v2-R

8” PASSIVE 2-WAY COAX COMPACT LOUDSPEAKER IN COMPOSITE FIBREGLASS RED



CUSTOM COLORS AVAILABLE UPON REQUEST

In addition to the 3 iconic Void brand colors -red, white and black- Cyclone 8 can be produced in several other custom colors and KROME finishes

Via Enzo Ferrari 10
62017 Porto Recanati (MC), Italy
info@frenexport.it

CYC8v2-R

8” PASSIVE 2-WAY COAX COMPACT LOUDSPEAKER IN COMPOSITE FIBREGLASS RED

PRODUCT DETAILS

KEY FEATURES

- Two-way passive loudspeaker with 8” and 1” coaxial driver
- UV-resistant paint with stainless steel grille and fixings
- T80-style mounting points to ensure compatibility with a wide range of mounting options
- IP-55 weather protection, suitable for permanent outdoor use in coastal or urban environments
- Driver basket made from corrosion-resistant ABS and a diaphragm treated to withstand the elements
- Hydrophobic membrane for enhanced protection against the ingress of external agents
- Available as standard in red with a black grille, black with a black grille and white with a white grille; custom RAL and KROME finishes are available on request

SPECIFICATIONS

Frequency Response	75 Hz - 20 kHz (-10 dB IEC 60268-5)
Efficiency	96 dB 1W/1m
Suggested amplifier (minimum)	Bias Q1+
Nominal Impedance	8 ?
Power Handling	200 W AES
Maximum Output	118 dB cont, 124 dB peak
Driver Configuration	1 x 8”, 1 x 1” coaxial compression driver
Dispersion	100°H x 100°V
Connectors	Phoenix

Via Enzo Ferrari 10
62017 Porto Recanati (MC), Italy
info@frenexport.it

CYC8v2-R

8” PASSIVE 2-WAY COAX COMPACT LOUDSPEAKER IN COMPOSITE FIBREGLASS RED

Weight	Net 9,7 kg (21.4 lbs.), Gross 12 kg (26.5 lbs)
Dimensions (HxWxD)	286 x 341 x 310 mm (11,23 x 13,40 x 12,20 in.)
Enclosure	Fibreglass composite
Finish	smooth cellulose
Mounting	Type 80 plate
Colors	Red
IP rating	IP-55

Via Enzo Ferrari 10
62017 Porto Recanati (MC), Italy
info@frenexport.it