

SM-HDMI-4K-1000

SIGNUM SEIRES HDMI 2.0 PROFESSIONAL CABLE - 10M LENGTH

Helvia **SIGNUM** series offers cables specifically designed for professional applications related to the world of Audio-Video.

Signum HDMI cables comply with the **HDMI 2.0** standard, with transmission rates up to 18 Giga-bits/second for 4K video and Ultra-High Definition TV. They are also compatible with HDMI 1.4 protocol and earlier.


Plastic materials are safe, and comply with **UL94** standard. Available lengths are 5m, 10m and 20m.



SM-HDMI-4K-1000

SIGNUM SEIRES HDMI 2.0 PROFESSIONAL CABLE - 10M LENGTH

HIGHLIGHTS



HDMI 2.0 VS PREVIOUS FORMATS

HDMI 2.0 format, despite using the same interface and connector, offers a very higher transmission speed than previous formats, which means more natural and defined images.

Transmission data quantity of HDMI 2.0 per second is **18Gbps**, which is much higher than HDMI 1.4/1.3 and earlier. It supports 3840 x 2160 max. resolution @ 50FPS and 60FPS and, unlike HDMI 1.4, offers up to 32 audio channels.

SM-HDMI-4K-1000

SIGNUM SEIRES HDMI 2.0 PROFESSIONAL CABLE - 10M LENGTH

PRODUCT DETAILS

KEY FEATURES

- 18Gbps TMDS (Transition-minimized Differential Signaling) max speed
 - Support 4K resolution (3840 × 2160 pixels) and 60FPS frame rate
 - Support Rec.2020 Color Space standard, Dual View, 4:2:0 Chroma subsampling
 - Support up to 32 audio channels @ 1536kHz sampling rate, and up to 4 audio streams
 - HDR (High-Dynamic-Range) imaging, for greater range of luminosity
 - Compatible with BT.2020 standard (ultra-high definition TV) with 10bit depth samples
 - Support HDCP2.2 protocol (High-bandwidth Digital Content Protection)
- Also support 21:9 aspect ratio, HE-AAC and DRA audio standards, dynamic auto lip-sync, improved 3D capabilities, and additional CEC functions

SPECIFICATIONS

| | |
|-------------------------|--|
| Max. Transmission Speed | 18Gbps |
| Supported Standards | 4K, Dual View, 32 audio channels, HDR imaging, BT.2020, HDCP2.2 Protocol, and others |
| Regulation Compliance | UL94, CE |
| Length | 10m |