

# PLOT 120F 120W MINI LED FRESNEL LIGHT WITH ROTATABLE BARNDOOR

Centolight PLOT 120F is a Fresnel spot with 60° beam and 120W warm-white COB Led. It is designed for all those fixed applications where a compact fixture with warm-white light (approx. 3200K) an excellent color rendering is required.

The low-noise is based on the high quality of fans and the builtin processor that constantly balances chip temperature and fan speed, always keeping it within 20dB @ 1m distance. The fixture is equipped with rotatable barndoor.





### FRENEXPORT

Via Enzo Ferrari 10 62017 Porto Recanati (MC), Italy info@frenexport.it



# PLOT 120F 120W MINI LED FRESNEL LIGHT WITH ROTATABLE BARNDOOR

## **PRODUCT DETAILS**

### **KEY FEATURES**

120W Warm-White COB LED with over 50,000h lifetime Color Temperature: 3200K Luminous Flux: 1350lux/3m CRI: Ra?90 Smooth 16-bit Dimmer Flicker-Free Operation Low-Noise Cooling System	Mini LED Fresnel Light with 60° Beam Angle
Luminous Flux: 1350lux/3m CRI: Ra?90 Smooth 16-bit Dimmer Flicker-Free Operation	120W Warm-White COB LED with over 50,000h lifetime
CRI: Ra?90 Smooth 16-bit Dimmer Flicker-Free Operation	Color Temperature: 3200K
Smooth 16-bit Dimmer Flicker-Free Operation	Luminous Flux: 1350lux/3m
Flicker-Free Operation	CRI: Ra?90
	Smooth 16-bit Dimmer
Low-Noise Cooling System	Flicker-Free Operation
	Low-Noise Cooling System
Rotatable Barndoor Included	Rotatable Barndoor Included

### **SPECIFICATIONS**

Light Source	1x120W Warm-White COB LED
Chip Life	over 50,000h
CCT (Color Temperature)	3200K
Luminous Flux	1350lux/3m – 483lux/5m
CRI	Ra?90
Beam Angle	60°
Lens Material	Glass Fresnel Lens
Dimmer	16-Bit Smooth Linear Dimming

### FRENEXPORT

Via Enzo Ferrari 10 62017 Porto Recanati (MC), Italy info@frenexport.it



# PLOT 120F 120W MINI LED FRESNEL LIGHT WITH ROTATABLE BARNDOOR

Cooling System	Quiet Fan (under 25dB @1m) + Aluminum Heatsink	
DMX Channel Modes	2 Channels (RDM Included)	
Control Modes	DMX, Strobo, Manual Dimming	
Control Panel	4 Buttons and LED Display	
IP rate	IP20	
DMX In/Out	3-pin XLR	
Power Socket	Powercon In	
Voltage:100~240V 50/60Hz		
Max Power Consumption	150W	
Working Temperature	-20÷55°C	
Barndoor	Rotatable Barndoor (Included)	
Max. Fixture Size (WxDxH)	245 x 160 x 120 mm – 9.64 x 6.30 x 4.72 in (C-Bracket included)	
Net Weight	2,6kg – 5.73 lbs.	
Packing Size (WxDxH)	200 x 180 x 280mm – 7.87 x 7.09 x 11.02in	
Packing Weight	2,8kg – 6.17 lbs.	

#### FRENEXPORT

Via Enzo Ferrari 10 62017 Porto Recanati (MC), Italy info@frenexport.it