

MULTI-FUNCTIONAL USB MICROPHONE AU-903

Maono AU-903 is a portable multifunction microphone with two selectable polar patterns (cardiode and omnidirectional).

The USB output allows you to easily connect it to a computer.

It offers a perfect return of voice and instruments and has a high compatibility with other devices such as laptops, tablets, etc.

It is also partially compatible with smartphones as it requires a plug adapter for tablets (not included in the package).

The microphone comes with a USB Type-C cable for Windows and Mac OS computers.

It is also equipped with a 3.5mm headphone jack for zerolatency monitoring.









MULTI-FUNCTIONAL USB MICROPHONE AU-903

HIGHLIGHTS



PORTABILITY

AU-903 is a portable multifunction microphone with two selectable polar patterns (cardiode and omnidirectional).

UNIQUE DESIGN

Full metal casing with cylindrical design, making it more fashionable with a better experience.





MULTI-FUNCTIONAL USB MICROPHONE AU-903



HEADPHONE MONITORING AND QUICK AUDIO CONTROLS

The 3.5mm headphone output of this USB microphone provides direct, latency-free monitoring so you can quickly adjust the volume in case of no sound or distortion during live streaming with the volume knob.

PLUG AND PLAY

Compatible with Mac, PS4, PS5, and Windows PC computer laptop that has a USB port, It is also compatible with iPhone Android Phone when you have an OTG adapter. Perfect for podcasts, games, voice-over, studios (Not compatible with Xbox).





EASY INSTALLATION AND VERSATILITY

The detachable and flexible microphone stand swivels to support a variety of angles and you can use a 5/8" male to 3/8" female adapter to install the mic on a standard boom arm.



MULTI-FUNCTIONAL USB MICROPHONE AU-903

WIDE RANGE OF APPLICATION

The two selectable polar patterns (Cardioid and Omnidirectional) make this microphone very versatile offering diverse and high quality recording experiences.





MULTI-FUNCTIONAL USB MICROPHONE AU-903

PRODUCT DETAILS

KEY FEATURES

Two Selectable Polar Patterns

Headphone monitoring and quick audio controls

Quick mute control with led indicator

Plug and play feature

Easy installation and great versatility

SPECIFICATIONS

Microphone-core	14mm Diameter Condenser×2
Polar Pattern	Cardioid/Omnidirectional
Frequency Response	20Hz – 20kHz
Maximum SPL	110dB
Maximum Sampling Rate	48KHz-16bit
S/N Ratio	70dB
USB Cable	USB A to C Cable

