

Powerful, flexible, wireless and battery-powered: grab your guitar, bass or acoustic and you're ready to churn out riffs and licks right away without wasting time with cables and power supplies.

Mighty Space is the wireless desktop modeling amp that condenses all NUX technology into a compact and lightweight format without sacrificing quality and power: 30W, lots of legendary amps for electric, bass, and acoustic, high-definition IR with IR loader, a complete EFX section in freely sortable blocks, and all the convenience of a flawless wireless transmission combined with a dual battery that guarantees 7 hours of use.

You can also drive the Drum & Loop function via the included NMP-2 Lite pedal, edit presets in depth with the dedicated App, and load third-party IRs with Mighty Editor[™] software.














FRENEXPORT





FRENEXPORT



HIGHLIGHTS



?16 AMPS FOR GUITAR, 3 FOR BASS, 2 FOR ACOUSTIC

The White-Box algorithm offers real time-feedback, incrementby-increment. NUX TS/AC-HD replicates the same playability most musicians prefer in a real tube amplifier. 16 amps for guitar, 3 for bass, 2 for acoustic.

FRENEXPORT



THE LATEST IR TECHNOLOGY AT YOUR FINGER TIPS

You can use a wide range of factory IR for guitar, bass, acoustic. And you can also load 3rd parties IR via software.

Guitar Cabs:

JZ120, DR112, TR212, HIWIRE412, CALI 112, A112, GB412, M1960AX, M1960AV, M1960TV, SLO412, FIREMAN 412, RECT 412, DIE412, MATCH212, UBER412, BS410, A212, M1960AHW, M1936, BUDDA112, Z212, SUPERVERB410, VIBROKING310

Bass Cabs: AGL_DB810, AMP_SV212, AMP_SV410, AMP_SV810, BASSGUY410, EDEN410, MKB410

Acoustic Guitar IRs: G-HBIRD, G-J15, M-D45

ChopTones Custom IRs: Bogna-T75, BritJH-G



FRENEXPORT





WIDE FX SECTION WITH FLEXIBLE BLOCKS

Effects: GATE, CMP, EFX, EQ, MOD, DLY, RVB

With the included editor software for Mac, PC, iOS, and Android, our incredibly flexible block routing will inspire virtually endless tone creations. You can drag any block to desired position.

For the CMP & EFX (Dynamic Based), the WHITE-BOX algorithm replicates the playability and responsiveness of the original analog circuit. The Mighty Space includes over 40 effects ranging from classic overdrives, to chilling modulation, to smooth reverb, and much more.

MIGHTYAMP[™] APP & MIGHTY EDITOR[™] EDIT SOFTWARE: YOU CAN DO ANYTHING!

You can customize the presets through the MightyAmp[™] APP or Mighty Editor[™] edit software.The MightyAmp[™] APP and Mighty Editor[™] edit software can let you tweak all the signal blocks and parameters.

Besides the 36 built-in IRs, there are 18 empty slots for 3rd party IRs. No matter the sampling rate, Mighty Editor[™] edit software can convert the WAV(IR) format automatically.



FRENEXPORT





TURNING MIGHTY SPACE INTO A RECORDING INTERFACE

Mighty Space supports USB audio stream, it can be an USB recording interface. It supports Normal / Dry Out / Re-amp / Loopback routing, you can adjust it through MightyAmp[™] APP or Mighty Editor[™] edit software intuitively, no need to setup USB OUT in DAW. Even live stream jamming with Loopback!

DRUM MACHINE & LOOPER WITH INCLUDED NMP-2 LITE PEDAL

Drum & Loop is accessible via NMP-2 Lite footswitch control. And is included!



FRENEXPORT



PRODUCT DETAILS

KEY FEATURES

Powerful 30 watts desktop wireless Modeling Amp. Get rid of any cable & play on the fly
TSAC-HD (White-Box) Amp Modeling algorithm offers realistic playability & feedback
512 samples IR resolution (34 premium built-in IRs and 20 user slots for 3rd party)
4" Loud Coaxial Speaker x 2 + Speaker Out
GATE, CMP, EFX, AMP, IR, EQ, MOD, DLY, RVB effect blocks with free order
Stereo DLY / RVB effects with gorgeous tone
Patch Level function for each preset
Drum & Loop (30 sec.) with additional NMP-2 Lite footswitch control (included)
7hrs playing time
Ultra-low system latency (1.2ms)
Supports USB Audio stream: your Mighty Space becomes a recording interface
Intuitive MightyAmp [™] APP & Mighty Editor [™] edit software(3rd party IR loader)

SPECIFICATIONS

Input Impedance	1M?
Earphone Output Impedance	32?
Sampling Rate	48KHz / 32-bit
System Latency	1.2ms
Battery	11.1V / 5000mAh

FRENEXPORT



Current Draw	11.1V/220mA
Dimensions	363 (L)X 171 (W)X 171 (H) mm
Weight	4.06 Kg

FRENEXPORT