

GALA-606XW

6.5" 10W 2-WAY COAXIAL CEILING SPEAKER

GALA-606XW offers powerful and accurate coaxial loudspeaker with 6.5" woofer diameter, and 6W, 3W, 1.5W powers at 100V, and 10W RMS at 8 ohms. It can be used with standard 100V professional amplifiers, and provide transparent and brilliant sound. It is therefore suitable for any application of music distribution at higher volume levels.

The housing of GALA-606XW speaker is made of high-quality ABS. It also features 0.5" Mylar-dome tweeters, paper woofer, and aluminum grille. Installation is very easy, thanks to the quick mounting system with 4 screws. These screws are hidden behind the grill, and offer an elegant and minimalist design. The built-in line transformers allow the use with 100V lines, and offer three power taps to better adapt to different speaker arrangement and amplifier powers. They come in white color, but can be painted in any color.

GALA-606XW

[308028a6-75e4-4c51-aa4f-ce4d0bbd9b6a.jpg](#)

[122886e3-dc3f-4c5f-93e0-1fc48e29c75a.jpg](#)

70V-100V Line Low Impedance Coaxial Speaker Quick-Fit System

GALA-606XW

6.5" 10W 2-WAY COAXIAL CEILING SPEAKER

PRODUCT DETAILS

KEY FEATURES

Coaxial Loudspeaker
6.5" Paper Woofer, 0.5" Mylar-dome Precision Tweeter
10W RMS Power @ 8 ohms
100V Power taps: 6W/3W/1.5W
Built-in 100V Line Transformer
Quick Mounting System
Paintable Grille and Frame

SPECIFICATIONS

Speaker Type	2-Way Passive, Coaxial
Line Voltage	100V
Line Transformer	Built-in, 3 power taps
Power @ 100V	6W / 3W / 1.5W
RMS power @ 8 ohms	10W
Frequency Response	90 Hz - 15 kHz
Sensitivity (1w/1m)	91dB
Woofer	6.5" (165mm) Paper cone
Tweeter	0.5" (13mm), Mylar dome
Housing	PP, paintable
Mounting	Quick mounting system with 4 screws
Grille	Perforated steel with acoustic transparent foam inside, paintable

GALA-606XW

6.5" 10W 2-WAY COAXIAL CEILING SPEAKER

Color	White
Cutout Size	Ø 202 mm – 7.95"
Product Size (ØxH)	Ø 233 x 95 mm – 9.2 x 3.7 in
Speaker Weight	1.26 kg – 2.8 lbs.
Packing Size (WxDxH)	238 x 100 x 238 mm – 9.4 x 3.9 x 9.4 in
Packing Weight	1.4 kg – 3.1 lbs.