

B-6

2.4GHZ WIRELESS SYSTEM FOR SAXOPHONE

The NUX B-6 wireless system allows the Saxophone players to move freely without worrying about stepping away too far from their microphone stand.

With high-resolution 24-bit/44.1kHz and operation range of 20 meters, the NUX B-6 wireless system for Saxophone can significantly improve your performance convenience.

B-6

[dSnp2a0XeRLKsTL1627467761_2.jpg](#)

[RZfSIMDmpL21IzA1627467771_6.jpg](#)

[khJmZLkGAzMZphC1627467783_8.jpg](#)

22


[A8RN7BbmakTTi9a1627467800_4.jpg](#)

[vie7tyyRkSYn7Sf1627467810_5.jpg](#)

[wfKQoAVagvkjMJf1627468390_campane.png](#)

B-6 2.4GHZ WIRELESS SYSTEM FOR SAXOPHONE

HIGHLIGHTS




HIGH-RESOLUTION AUDIO

No compromises when it comes to audio quality: NUX B-6 delivers professional, high-resolution 24-bit/44.1kHz audio.


20 METERS + 7 HOURS OF FREEDOM

Up to 20 meters of freedom and 7 working hours: just plug your recharging box to get all the power you need in a fast, simple and comfy way.



B-6

2.4GHZ WIRELESS SYSTEM FOR SAXOPHONE




UNIQUE PATENT-PENDING GOOSENECK MICROPHONE

Conceived to avoid unwanted resonance and key clack sound.

FLEXIBLE CLAMP

The transmitter of NUX B-6 comes with a flexible yet sturdy rubber-wrapped clamp mechanism. It can be attached to the bell of different types of Saxophones firmly.



B-6

2.4GHZ WIRELESS SYSTEM FOR SAXOPHONE

PRODUCT DETAILS

KEY FEATURES

Crystal clear guitar tone audio @ 24-bit/44.1kHz and ultra low latency (<4 ms)

Patent-pending Gooseneck Microphone conceived to avoid unwanted resonance and key clack sound

Flexible Clamp can be attached to the bell of different types of Saxophones firmly

Battery life: up to 7 hours of playing time

3 Modes with optimal EQ for Alto, Tenor, Baritone Sax

Auto-sleep function

Inbox charging/carrying case

SPECIFICATIONS

Range	>20 mt
Operating Band	2.4GHz ISM Worldwide
Frequency Response	20Hz – 20kHz
Latency	<4 ms
Dimensions	59.2x31.2x32.6 mm (LxWxH)